

Chambers
®
BUILT-INS

SINCE 1910
THE MOST HONORED
NAME IN AMERICA'S
FINEST KITCHENS.




Over 50 Years of Famous Firsts by

Chambers®

Since developing the first truly modern insulated range in 1910, Chambers has pioneered many outstanding appliances for the kitchen. Among the many unique Chambers achievements are . . . FIRST and ONLY "Retained-Heat" deluxe ranges . . . "cook with the fuel turned off" . . . FIRST automatic range . . . FIRST with appliances in modern colors . . . FIRST and ONLY range with counter-high broiler and griddle . . . FIRST approved gas built-in ranges . . . FIRST "Custom-Matched" built-in kitchen appliances.



Chambers first insulated range . . . 1910



Deluxe color kitchen with Chambers oversize oven, rotisserie, surface range, hood, dishwasher, and 19-cubic-foot refrigerator-freezer. Custom-planned to fit America's smartest kitchens—and for only pennies a day!

Chambers custom-matched kitchen includes oven, surface range, ventilating hood, disposer, and 17-cubic-foot refrigerator with "Decorator Door" which can be finished in matching woods, plastics, or colors.



CHAMBERS BUILT-INS CO., P. O. Box 218, Arlington Heights, Ill.
A Division of Chambers Corp.

DISTRIBUTED BY

CHANDLER COMPANY

CEDAR RAPIDS, IOWA

Enfile
4-8101




EXCLUSIVE

"RETAINED-HEAT" OVENS

GAS or ELECTRIC

Cook with the fuel turned off!®

Here are the most exciting ovens any homemaker has ever enjoyed. Nothing new to learn about cooking—but, oh so many wonderful time- and laborsaving advantages! They finish an hour's cooking on a few *minutes* of fuel—without pot-watching. *Cook a full meal while you're away* (with foods of different cooking times), serve it hot one minute after you return. Three times as much insulation seals heat it, makes these the "coolest cooking" ovens ever. Meals cook with the fuel turned off! You'll also broil steaks without smoke—with the oven door closed! Discover Chambers "Retained-Heat" cooking and you'll realize a new world of kitchen freedom never before possible!




"IMPERIAL TWINS" OVENS

The finest ovens in 50 years, these new Chambers "Retained-Heat" built-in units do full meals *automatically*—with the fuel turned *off* after the first few minutes. Each oven has automatic appliance outlet, push-button oven interior light, special "keep-

warm" control, and rotisserie in electric ovens. Easy-to-clean side racks lift out leaving smooth interior exposed.

Twin Oven size: Over-all—50-3/4" wide x 28-5/8" high. Cutout: 48-5/8" wide x 26-3/8" high x 24" deep.



ELECTRIC

Model OEO-42 Satin Chrome
Model OEO-52 Antique Copperlux
Model OEO-82 Porcelain Colors

GAS

Model OGAO-42 Satin Chrome
Model OGAO-52 Antique Copperlux
Model OGAO-82 Porcelain Colors

SINGLE "IN-A-WALL" OVENS

Identical to the "Imperial Twins," this single oven is ideal for the average family, yet will serve up to 20 with a minimum of effort. Cooks a full meal with foods of different


cooking times—automatically, with the fuel turned off! Thrill to a demonstration of these Chambers ovens and you'll learn how work-free perfect cooking really can be!

ELECTRIC

Model OEO-4 Satin Chrome
Model OEO-5 Antique Copperlux
Model OEO-8 Porcelain Colors

GAS

Model OGAO-4 Satin Chrome
Model OGAO-5 Antique Copperlux
Model OGAO-8 Porcelain Colors



SINGLE "STACK-ON" OVEN

Creates illusion of a built-in with *minimum* installation cost. Rests on regular 24" wide cabinet that is 28" high. Top of oven becomes handy utensil shelf. Regular 30" wall cabinet drops down on insulated oven top. Oven size: 24" wide x 26" high.



GAS


Model OGA-4 Satin Chrome
Model OGA-5 Antique Copperlux



ELECTRIC


Model OE-4 Satin Chrome
Model OE-5 Antique Copperlux

CUSTOM-MATCHED ELE



Model TO-42E

Chambers "In-A-Top" All-Electric Broiler and Griddle.




You'll never stoop to broil again. Unique smokeless broiler. Broiler rises counter-high at flick of your wrist. Perfect temperature control of griddle. You never touch a hot rack from start to finish and serve direct to table on "sizzling platter." Easy to clean and keep clean. Matched instrument panel. "Heat Miser" thermostat on right front element. Front panel: Sculptured Satin Aluminum or Antique Copperlux. Back splash and side panels optional. Specify.

Over-all Size: 42" wide, 25" deep, 8" high. Mounts on 42" wide x 28" high base.


33
R/
T1-
Infl
T1-
cor
TC-
7-s
Onl
far
Tw
del
Ri:
Sin
TO
TO
"S
Dr
T1
To
spa
De
pro
ute
Jet
sev
eas
eas
All

Chambers® DISHWASHER-DRYERS




Tremendous dishwashing performance... sparkling results! You get two power washes—four power rinses—high-power drying. Superb, custom-matched units. Swirling spray drives scalding water over dishes at the rate of 2460 gallons per cycle. Washes 12 complete settings. Prewashes, pre-rinses automatically. Cool-wall drying sends stream down drain, not into kitchen. Size: 24" wide, 34-7/16" high under counter x 24-1/4" deep. Colors: Antique Copperlux, Satin Chrome, Prime White for finishing in any color. Optional "Decorator Door."

DPD-320 Deluxe Dishwasher
—pushbutton pump. With
optional "Decorator Door"
DGS-300 standard gravity
DPS-310 standard pump




Easy front loading. Removable silver-ware rack in front.



Swirl-a-tray gently moves dishes through floods of super-heated water for sparkling performance.

CUSTOM-MATCHED GAS



Model TO-42G

"In-A-Top" Gas Broiler and Griddle



World's only counter-high, no-stoop broiling... smokeless broiling and grilling. You never touch a hot rack from

start to finish—serve direct to table on handsome aluminum broiler platter. Matched instrument panel, four oversize "Super-Daisy" speed burners with thermostat "Heat Miser" on one burner. Satin Chrome top deck. Front panel: Sculptured Satin Aluminum or Antique Copperlux. Back splash and side panels optional. Specify.

Over-all size: 42" wide, 25" deep, 8" high. Mounts on 42" wide x 28" high base.

Al
Dr
Ne
allo
fee
dec
fro
cou
T1-
"H
T1-
T1-
T1-
T1-
"S
Dr
Fits
T1-
bur
on
T1-
Qui
cou
hot
Hig

Chambers® HEAVY-DUTY DISPOSERS

Unconditional One-Year Factory Guarantee*



Deluxe Hush-A-Way Disposer Model CH-8000

The finest in food disposers for those who demand long-lasting satisfaction and outstanding performance. Heavy 1/3-hp motor provides instant grinding of heaviest loads. Diamond-hard cutting sleeve shreds toughest bones. Precision-balanced for silent, vibration-free operation. Shred control assures all food waste ground to finest consistency before going through strainer grooves. Lifetime lubrication, quick, easy installation. Over a million units in use with septic tanks.

*Satisfaction guaranteed or distributor will replace if trouble occurs due to factory defect within one year of installation.



Heavy-Duty Deluxe Disposer Model CF-880

This continuous-feed disposer delivers smooth, silent operation. Heavy-duty motor, precision cutting sleeves assure vibration-free performance year after year. Same unconditional one-year guarantee. Easily adapted for septic tank use.

Chambers®

CUSTOM-MATCHED REFRIGERATOR-FREEZERS



RF1-180 "Imperial" Refrigerator
F1D-180 "Imperial" Freezer with
Automatic Ice Maker and Automatic Defrost



RF1D-190—
Refrigerator-Freezer
RF1-190—
Refrigerator-Freezer

Perfect balance of refrigeration and freezing. 19 cu ft in only 36" of wall space. 12 cu ft refrigerator, separate 6.5 cu ft freezer. All Chambers colors.

Matching "Imperial" Twins

For large families, major occasions! Luxurious 32-ft capacity—yet occupies only 72" of wall space. Huge 17 cu ft refrigerator and matching freezer. May be installed separately, if desired.

Truly built-in design, Chambers refrigerator-freezers need no costly framing or cabinet installation. Each unit is self-framing and self-supporting. Just 24" deep, the "Decorator Door" lines up with cabinets. Easy to clean inside and out.

Separate systems and controls for refrigerator and freezer. Choose the best temperature for each compartment. Heavy-duty, hermetically sealed compressor for long-life operation.

Removable "Decorator Door" panels allow you to insert panels to match your own kitchen decor. Side panels in full and half lengths optional. Magnetic door seal on all three sides assures perfect closure.

Custom-matched interiors of Classic White, Decorator Gray, and Gold. All on heavy, rust-free aluminum.

Custom-matched finishes at no extra cost: Decorator White, Pink, Yellow or Turquoise deluxe baked-on enamel. Also deluxe finishes: Antique Copperlux or Stainless Steel.

Refrigerator Features: Ideal storage arrangement with two pull-out crispers and adjustable pull-out egg basket. Adjustable shelves quickly arranged to suit your convenience. Automatic refrigerator defrost on all Chambers refrigerators. "Uni-Temp" circulates moist-cold air gently up, down, and out to every corner of the refrigerator.

Freezer Features: Big storage capacity in door. Four ice-cube trays. All foods remain at zero temperature or lower. Freezer plate beneath each rack for quick freezing. Automatic Ice Maker and automatic freezer defrost standard in "Imperial" models.




"V.I.P." Series 120 Combination

R1-120 Refrigerator
F1-120 Freezer
More than 21 cu ft of refrigerator-freezer storage in only 72" of wall space, at waist-high level. May be installed separately.




Automatic Ice Maker

In Chambers "Imperial" freezers, it delivers a continuous supply of ice cubes. Completely automatic. No water trays to fill. Always plenty of sparkling ice for parties!



Under-Counter Ice Maker

UC-1-300 18" freezer with Automatic Ice Maker makes and stores its own ice—without trays. Capacity, 400 half-circles of ice daily (20 lb). "Decorator Door." All finishes.



Model RF1-170

Refrigerator-Freezer

36" wide, yet 73" height is perfect for all installations. Fits easily under low ceilings, soffits, and stairways. Refrigerator capacity is 11.7 cu ft . . . freezer capacity 4.5 cu ft. Available with removable panels in any finish desired: wood, plastic, or colors. Finishes: Prime Coat (for painting any color or inserting decorator panels 1/8" or less thick), White, Pink, Yellow, Turquoise, Antique Copperlux, or Stainless Steel.

REFRIGERATOR-FREEZER SPECIFICATIONS

Right or left-hinged doors (as you face unit). No venting required. All self-contained units service from front without removing from wall.

Series	Capacity		Dimensions			Exact Rough-In.		H.P.		Sht. Wt.
	Ref.	Frz.	Ht.	Wdth.	Dpth.	Wdth.	Ht.	Ref.	Frz.	
COMBINATION REFRIGERATOR-FREEZERS										
*RF1D-190 *RF1-190	12.	6.5	84"	36"	24"	35-1/2" x 83-3/4"		1/6	1/8	483
*RF1-170	11.7	4.5	73"	36"	24"	35-1/2" x 72-3/4"		1/4		435
SINGLE REFRIGERATORS AND FREEZERS										
R1-200	19.0		84"	36"	24"	35-1/2" x 83-3/4"		1/5	1/8	468
** R1-120	12.0		47-1/4"	36"	24"	35-1/2" x 46-3/4"(R) ^o 35-1/2" x 57-3/4"(S.C.)		1/6		283
** F1-120		9.5	47-1/4"	36"	24"	35-1/2" x 46-3/4"(R) ^o 35-1/2" x 57-3/4"(S.C.)			1/5	273
R1-180	17.0		73"	36"	24"	35-1/2" x 72-3/4" ^o		1/5		380
F1-180 F1D-180		14.	73"	36"	24"	35-1/2" x 72-3/4" ^o			1/4	415
UC1-300	20 lbs.		34-1/2"	18"	24"	18" x 34-1/2"			1/5	150

*Self-contained or remote installation. Remote installation requires qualified serviceman to install.

**Grill furnished as extra equipment. ^oRough-in width 71-1/2" when placed side-by-side.



Chambers®

For the HEART of Family Living

QUALITY MATCHED BUILT-INS

ELECTRIC SURFACE RANGES

33" SURFACE RANGE

T1-33EH... "Heat Miser" infinite controls, deluxe handles.
T1-33E... four Infinite controls, deluxe handles.
C-33E... standard handles, 7-speed controls.

Only 3" deep, shallow design permits up to six-square-foot drawer. Self-framing, deep-sculptured deck protects adjacent surfaces from hot utensils. Two 6" and two 8" Super-Jet elements with infinite control settings plus deluxe thermostat. Drops into 36" cabinet. Cutout: 32-3/4" wide x 19" deep.

Rim-Type 33" Drop-In Range (not shown)


Similar to T1-33EH except deck is flush with counter top.

TOR-33EH... "Heat Miser" infinite controls.

TOR-33... standard controls. Cutout: 34" wide x 20-3/16" deep.

"Space-Saver" Drop-In Range T1-21E

Top quality in a space-saving design. Deep sculptured deck protects counter from hot utensils. Three 6" and one 8" Super-Jet elements with seven speeds. Smart, easily read instrument panel. Fits 24" cabinet. Porcelain range box—easy to clean and keep clean. Cutout: 19-15/16" wide x 19-3/4" deep. All Chambers drop-in surface ranges shown use interchangeable cutouts.



GAS SURFACE RANGES

All New 33" Drop-In Range

New, shadow-thin design allows full six square feet of drawer space. Elevated deck protects counter surfaces from utensils. Drops into any 36" cabinet. Cutout: 32-3/4" wide x 19" deep.

T1-33GSH—super deluxe, three "Super-Daisy" burners, one thermostat "Heat Miser" burner. Deluxe controls.

T1-33GS—four "Super-Daisy" burners.

T1-33GH—three high-speed aluminum burners, thermostat "Heat Miser."

T1-33G—four high-speed aluminum burners.

"Space-Saver" Drop-In Range


Fits only 21" counter space.

T1-21GH—three aluminum burners, thermostat "Heat Miser" on front burner.

T1-21G—four aluminum burners.

Quality and capacity in only 21" of counter space! Raised deck keeps hot pans above counter surfaces. High-speed gas burners have Hi-

Lo-Click simmer valves. Interior box is porcelain for easy cleaning. Drops into any 24" cabinet. Cutout: 19-15/16" wide x 19-3/4" deep.



VENTILATING HOODS


DELUXE POWER BLOWER



Hush-quiet blower power... the perfect way to ventilate a kitchen! These outstanding units are designed to remove heat, smoke, and odors from all over the kitchen and push them outside... with positive centrifugal blower power.



Light, switches, and blower built in beneath hood.



B-91... standard: one-speed single blower, twin lights.
B-92... heavy-duty deluxe twin blower, two speed, twin lights.



Permanent filter removes easily for cleaning.



19-3/8" deep x 9-1/2" high

Provincial (Scalloped) Antique Copperlux	Contemporary (Straight) Antique Copperlux	Contemporary (Straight) Stainless Steel
HP-30-5 w. 30"	HC-30-5 w. 30"	HC-30-4 w. 30"
HP-36-5 w. 36"	HC-36-5 w. 36"	HC-36-4 w. 36"
HP-42-5 w. 42"	HC-42-5 w. 42"	HC-42-4 w. 42"

Chambers Colors in Contemporary Hoods only. Specify.

Also fan models in above Contemporary style, identical finishes. Models HF-30, HF-36, HF-42.

SUPER EXHAUST MITERED HOOD



New, smart mitered design. Quiet, high-speed performance. Completely assembled, ready to install.

Highest quality in exhaust-type ventilation equipment. Hoods are of top-quality mitered design—lock-welded for quiet, vibration-free operation. Exhausts heat, smoke, and odors from kitchen to outdoors. Vents either through top or rear.

18" deep x 5" high

Antique Copperlux	Stainless Steel
HFM-30-5 w. 30"	HFM-30-4 w. 30"
HFM-36-5 w. 36"	HFM-36-4 w. 36"
HFM-42-5 w. 42"	HFM-42-4 w. 42"

Chambers Colors available at no extra cost. Specify.

Back-splash panels in all widths and 24" high available for all of the above ventilating hoods.

Chambers®

CUSTOM-MATCHED REFRIGERATOR-FREEZERS



RF1-180 "Imperial" Refrigerator
F1D-180 "Imperial" Freezer with
Automatic Ice Maker and Automatic Defrost



RF1D-190—
Refrigerator-Freezer

RF1-190—
Refrigerator-Freezer

Perfect balance of refrigeration and freezing. 19 cu ft in only 36" of wall space. 12 cu ft refrigerator, separate 6.5 cu ft freezer. All Chambers colors.

Truly built-in design, Chambers refrigerator-freezers need no costly framing or cabinet installation. Each unit is self-framing and self-supporting. Just 24" deep, the "Decorator Door" lines up with cabinets. Easy to clean inside and out.

Separate systems and controls for refrigerator and freezer. Choose the best temperature for each compartment. Heavy-duty, hermetically sealed compressor for long-life operation.

Removable "Decorator Door" panels allow you to insert panels to match your own kitchen decor. Side panels in full and half lengths optional. Magnetic door seal on all three sides assures perfect closure.

Custom-matched interiors of Classic White, Decorator Gray, and Gold. All on heavy, rust-free aluminum.

Custom-matched finishes at no extra cost: Decorator White, Pink, Yellow or Turquoise deluxe baked-on enamel. Also deluxe finishes: Antique Copperlux or Stainless Steel.

Refrigerator Features: Ideal storage arrangement with two pull-out crispers and adjustable pull-out egg basket. Adjustable shelves quickly arranged to suit your convenience. Automatic refrigerator defrost on all Chambers refrigerators. "Uni-Temp" circulates moist-cold air gently up, down, and out to every corner of the refrigerator.

Freezer Features: Big storage capacity in door. Four ice-cube trays. All foods remain at zero temperature or lower. Freezer plate beneath each rack for quick freezing. Automatic Ice Maker and automatic freezer defrost standard in "Imperial" models.

Matching "Imperial" Twins

For large families, major occasions! Luxurious 32-ft capacity—yet occupies only 72" of wall space. Huge 17 cu ft refrigerator and matching freezer. May be installed separately, if desired.




"V.I.P." Series 120 Combination

R1-120 Refrigerator
F1-120 Freezer
More than 21 cu ft of refrigerator-freezer storage in only 72" of wall space, at waist-high level. May be installed separately.



Automatic Ice Maker

In Chambers "Imperial" freezers, it delivers a continuous supply of ice cubes. Completely automatic. No water trays to fill. Always plenty of sparkling ice for parties!




Under-Counter Ice Maker

UC-1-300 18" freezer with Automatic Ice Maker makes and stores its own ice—without trays. Capacity, 400 half-circles of ice daily (20 lb). "Decorator Door." All finishes.

Refrigerator-Freezer

36" wide, yet 73" height is perfect for all installations. Fits easily under low ceilings, soffits, and stairways. Refrigerator capacity is 11.7 cu ft . . . freezer capacity 4.5 cu ft. Available with removable panels in any finish desired: wood, plastic, or colors. Finishes: Prime Coat (for painting any color or inserting decorator panels 1/8" or less thick), White, Pink, Yellow, Turquoise, Antique Copperlux, or Stainless Steel.



Model RF1-170

REFRIGERATOR-FREEZER SPECIFICATIONS

Right or left-hinged doors (as you face unit). No venting required. All self-contained units service from front without removing from wall.

Series	Capacity		Dimensions			Exact Rough-In.		H.P.		Sht. Wt.
	Ref.	Frz.	Ht.	Wdth.	Dpth.	Wdth.	Ht.	Ref.	Frz.	
COMBINATION REFRIGERATOR-FREEZERS										
*RF1D-190 *RF1-190	12.	6.5	84"	36"	24"	35-1/2" x 83-3/4"		1/6	1/8	483
*RF1-170	11.7	4.5	73"	36"	24"	35-1/2" x 72-3/4"		1/4		435
SINGLE REFRIGERATORS AND FREEZERS										
R1-200	19.0		84"	36"	24"	35-1/2" x 83-3/4"		1/5	1/8	468
** R1-120	12.0		47-1/4"	36"	24"	35-1/2" x 46-3/4"(R) ^o 35-1/2" x 57-3/4"(S.C.)		1/6		283
** F1-120		9.5	47-1/4"	36"	24"	35-1/2" x 46-3/4"(R) ^o 35-1/2" x 57-3/4"(S.C.)			1/5	273
R1-180	17.0		73"	36"	24"	35-1/2" x 72-3/4" ^o		1/5		380
F1-180 F1D-180		14.	73"	36"	24"	35-1/2" x 72-3/4" ^o			1/4	415
UC1-300	20 lbs.		34-1/2"	18"	24"	18" x 34-1/2"			1/5	150

*Self-contained or remote installation. Remote installation requires qualified serviceman to install.
**Grill furnished as extra equipment. °Rough-in width 71-1/2" when placed side-by-side.



Chambers®


For the HEART of Family Living

QUALITY MATCHED BUILT-INS

NEW ELECTRIC TWIN OVENS



OEVI-5A1R
Antique Copperlux
OEVI-4A1R
Satin Chrome
OEVI-8A1R
Porcelain Colors
Rotisserie and Automatic
Roast Guide



OEVI-5A1
Antique Copperlux
OEVI-4A1
Satin Chrome
OEVI-8A1
Porcelain Colors
Automatic Clock Control,
Rotisserie Optional



OEB2-5* Antique Copperlux
OEB2-4* Satin Chrome
OEB2-8* Porcelain Colors
*Optional: Window, oven
light, automatic clock with
minute minder, or manual
minder.

Super-deluxe picture-frame design with deep three-dimension glass control panel, 100% automatic Roast Guide or clock controls, with 60-minute timer . . . automatic appliance outlet makes any electric appliance automatic . . . streamlined tubular door handle grips over or under huge window, oven light . . . huge double-oven capacity and quality performance in Chambers "Custom-Matched" design . . . all in 24" of cabinet space! Size over-all: 23-1/8" wide x 39-1/8" high. Cutout: 22" wide x 38" high x 23-7/8" deep.

Wide look in a 24" oven!
Huge upper oven, with white control panel, full-width doors, roomy easy-to-clean interior. Two thermostats, signal lights, super-fast pre-heat in upper oven. Electric clock and 60-minute bell alarm. Size over-all: 23-1/8" wide x 39-1/8" high. Cutout: 22" wide x 38" high x 23-7/8" deep.




All Chambers electric ovens and surface ranges operate on 120/240 volt a-c three-wire electrical service.

ELECTRIC CUSTOM SINGLE OVENS



OEC1-5A1 A. Copperlux
OEC1-4A1 Satin Chrome
OEC1-8A1 Porcelain Colors



*OEB-5 A. Copperlux
*OEB-4 Satin Chrome
*OEB-8 Porcelain Colors

OEC1-5A1 Deluxe Single Ovens—with 100% automatic clock control. Picture frame around oven and door with deep dimension control panel. Automatic appliance outlet, nonfog window, oven light. Oven thermostat, automatic preheat. Rotisserie optional.

*OEB-5 Wide look in 24" oven—full-width doors, custom handles, white porcelain instrument panel. Easy-to-clean oven, thermostat with super-fast preheat. Two-piece broiler pan with shield. Optional features pictured: Automatic clock, manual 60-minute minder with alarm, nonfog window, oven light. Specify.

Single ovens: 23-1/8" wide x 25-7/8" high. Cutouts: 22" wide x 24-7/8" high x 23-7/8" deep.

NEW OVERSIZE GAS OVENS



OGV1-5A1R A. Copperlux
OGV1-4A1R Satin Chrome
OGV1-8A1R Colors



OGV1-51 A. Copperlux
OGV1-41 Satin Chrome
OGV1-81 Colors



*OGB-5 A. Copperlux
*OGB-4 Satin Chrome
*OGB-8 Colors

OGV1 Deluxe Oversize Ovens—smart control panel, electric clock and 4-hour timer and bell alarm. Lo-Temp Flame-Master thermostat. Smart tubular door handle, nonfog window, oven light. Huge oven, large two-piece broiler. Automatic Roast Guide and rotisserie standard on OGV1-5A1R, 4A1R, and 8A1R.

OGB Custom Gas Ovens—the wide look in a 24" gas oven. Lo-Temp Flame-Master thermostat holds oven at "keep-hot" 140° temperature 'til you serve. White porcelain panel with standard accessories and three-dimensional trim. Full-width door panels in matched finishes. Oversize smokeless broiler, two-piece porcelain broiler shield. *Optional features shown: window, oven light, automatic clock-minute minder, or manual timer. Specify.

All Oven Sizes: 23-1/8" x 39-1/8". Cutouts: 22" x 38" x 23-1/2" deep.



A.G.A.
approved for all
gases, natural,
manufactured,
LP, bottled, or
tank.



NEW AUTOMATIC ROAST GUIDE

Automatically transfers all settings for any weight roast—cooks the roast as you wish. Greatest advance in automatic timed cooking in 20 years. Two simple, easy-to-use settings. Standard on deluxe gas and electric ovens.




ROTISSERIE MODEL ROT-41

Rotisserie frame and spit rests snugly on broiler pan. Simply pull out broiler pan to carry entire unit. Broiler pan catches juices, saves cleanup. Switch and signal light on deluxe models.

New Lo-Temp Flame-Master Thermostat. On all Chambers deluxe and custom gas ovens. Lo-Temp controls oven temperature down to a precise 140°. Keeps the meal hot 'til serving time.





Chambers®

SINCE 1910...
THE MOST
HONORED NAME
IN AMERICA'S
FINEST KITCHENS

Chambers Quality Built-ins give your kitchen a "custom" look—without the "custom" price

Now you can enjoy the luxury, the convenience of a custom kitchen—at a price that will fit your budget. Known and respected by smart homemakers for over 50 years—Chambers built-in kitchen appliances blend perfectly with every floor plan, every color motif.

The complete line of Chambers built-in appliances includes oven and surface ranges (both gas and electric), refrigerator-freezers, dishwashers, exhaust hoods, and disposers. Plan your new home or remodeled kitchen around beautiful Chambers custom-matched appliances. Ask your Chambers dealer how you can enjoy this new kitchen of your dreams for only pennies a day!



Pastel Yellow



Antique Copperlux



Turquoise



Pastel Pink



Satin Chrome
and Stainless Steel



Coppertone
(Surface Ranges Only)

Choose from these smart custom-matched and co-ordinated colors and finishes

Now—color-style your kitchen in co-ordinated custom finishes. Rich lifetime *porcelain colors* are deep-fired... remain bright, brilliant for the life of your kitchen. They stay fresh and lovely, too—wipe clean with the swish of a damp cloth. There is no finer porcelain anywhere—at any price!


Antique Copperlux—developed by Chambers research—is one of the most luxurious and durable finishes available today. Cleans with a cloth, will not crack, craze, or shatter.

Also available in Snow White porcelain.

For the HEART of Family Living . . .



Matched Custom and Deluxe Electric Ovens and Surface Ranges*



CUSTOM-MATCHED DESIGNS, FINISHES AND COLORS . . .

All Chambers Built-ins match not only in finishes and colors, but in frames, trim, control panels, and accessory detail. Choice of two deluxe finishes, four colors:

Antique Copperlux: Lustrous hand-textured finish especially developed by Chambers, harmonizes with natural wood. Nine separate operations lend rich depth, durability. Won't crack, craze, tarnish. Cleans with damp cloth.

Satin Chrome: Fine-grained satin finish, famous for its sheen and durability. Easy to clean.

Architectural Porcelain Colors: Chambers deep-fired colors hold their brightness forever, clean like china. Choice of Decorator White, Turquoise, Pink, or Yellow in ovens and surface ranges. Coppertone porcelain matches Antique Copperlux, comes in drop-in surface ranges only.

***Chambers Imperial Retained-Heat Ovens** described in separate specifications. "Cook with the fuel turned off."



Your Kitchen Plans Deserve the Finest . . .



SINCE 1910 . . . the most honored name in America's finest kitchens.

SPECIFICATIONS

The finest from Chambers craftsmen; a size and model for every kitchen plan! Luxurious styling, superb performance, quality-designed in lustrous finishes to match all Chambers Built-ins: refrigerator-freezers, dishwasher-dryers, ventilating hoods, disposers. Years from now, you'll be proud you chose Chambers!

HUGE DOUBLE OVENS ... ALL "CHA"



OEVI-5A1R

OEVI-5A1R
Antique Copperlux

OEVI-4A1R
Satin Chrome

OEVI-8A1R
Porcelain Colors

Rotisserie and
Automatic
Roast
Guide

OEVI-5A1
Antique Copperlux

OEVI-4A1
Satin Chrome

OEVI-8A1
Porcelain Colors

Automatic
Clock Control.
Rotisserie
Optional

Super-deluxe picture-frame design with deep three-dimension glass control panel, 100% automatic Roast Guide or clock controls, with 60-minute timer... automatic appliance outlet makes any electric appliance automatic... streamlined tubular door handle grips over or under; huge window, oven light... huge double-oven capacity and quality performance in Chambers "Custom-Matched" design... all in 24" of cabinet space! Size over-all: 23 3/8" wide x 39 1/8" high. CUTOUT: 22" wide x 38" high x 23 3/8" deep.

100% automatic clock controls for giant upper oven. Automatic appliance outlet has fused safety circuit. Amazing Roast Guide assures perfect roasts. 60-minute timer alarms until stopped.

Three-dimension satin picture frame around both ovens and doors of deluxe models... wide, wide doors on custom models.

Big nonfog window with oven light. *Silicon Rubber door seal*... holds heat inside for perfect performance!

Smoothest oven interior ever—for perfect cleaning!



Doors open level! Exclusive hinge lets door open flat. Provides level support for hot roasters, etc.

Compare
ners lift o
lls. No
aw ha
elements
bottom.

HUGE c
oven—H
ers—five
tions. U
element
element 3
oven, 1500

Nontilt,
racks with
not be ac
from oven

Perfect bi
two-piece
pan and s



Chambers Deluxe AUTOMATIC ROAST GUIDE

The ultimate in roasting perfection! Automatically transfers all settings for any weight roast, cooks the roast as you wish. This "automatic cookbook" is the greatest advance in automatic timed cooking in 20 years. Two simple settings.



All Chambers electric ovens and surface ranges operate on 120/240 volt AC three-wire electrical service.

FULL-WIDTH SINGLE OVENS



Model OEC1-5A1
Antique Copperlux

Deluxe Single Ovens

OEC1-5A1 Antique Copperlux

OEC1-4A1 Satin Chrome

OEC1-8A1 Porcelain Colors

The perfect oven for the smaller family! 100% automatic clock control with minute minder! Deluxe satin-finish picture frame all around oven and door, with deep-dimension control panel. Automatic appliance outlet with fused circuit makes any electric appliance automatic. Chic tubular door handle grips over or under. Huge oven capacity... superb performance. Big easy-view nonfog window

and oven light with deluxe switch. Deluxe oven thermostat with super-fast automatic preheat and thermostat signal light. Wired for optional rotisserie. All Chambers deluxe qualities in a compact oven-broiler combination.

Large two-piece porcelain broiler pan and shield especially for designed luxurious results.

Easy to clean: All rack runners lift out, bake element lifts up, exposing perfectly smooth interior—no rough edges or screw heads.

Wattage: Broil: 3000; Bake: 2300; Amps: 25

Wide, wide look in 24" ovens!

OEB-5* Antique Copperlux

OEB-4* Satin Chrome


OEB-8* Porcelain Colors

*Large window and oven light, 100% automatic clock with 60-minute minder, or manual timer optional as desired. Specify.


Here's the wide, wide look with full-width doors and smart custom handles! Custom white titanium porcelain instrument panel with Chambers matching trim all around the panel. Here are all Chambers

basic deluxe features: Same huge easy-to-clean oven... same deluxe oven thermostat with super-fast preheat and precision control. Thermostat signal light. Same huge two-piece porcelain broiler pan and shield. *Choose optional features you prefer:* 100% automatic clock, manual 60-minute minder with bell alarm, or huge nonfog window and oven light—or all three!

Easy to clean: All rack runners lift out, bake element lifts up, exposing perfectly smooth interior—no rough edges or screw heads.



Model OEB-5CTW—with optional features: Large window and oven light, automatic clock, and minute minder.



SPECIFICATIONS—SINGLE OVENS

Especially designed to use all space in a 24" cabinet. Simplest to clean, too: All racks and rack runners snap out, bake elements are hinged to lift up, exposing perfectly smooth gray titanium porcelain interior.

WATTAGE: 5300 AMPS: 25
RANGE CONNECTS AT TOP ON CENTER LINE

AMBERS QUALITY!"

Chromerackrun-
out leaving smooth
to round edges. No
leads. Lower bake
lift up to clean

capacity upper
holds largest roast-
oven rack posi-
Upper oven bake
2300 watts, broil
3000 watts. Lower
00 watts. Amps: 31.

nonspill oven
th backguard. Can-
accidentally pulled
n.

broiling with large
e porcelain broiler
shield.

"Wide Look" Double Oven

- OEB2-5* Antique Copperlux
- OEB2-4* Satin Chrome
- OEB2-8* Porcelain Colors

*Optional features: Window and oven light, automatic clock with minute minder, or manual 60-minute minder. Specify.


Here's the dramatic wide look in a 24" oven! All Chambers quality features: Huge upper oven with high-style white porcelain control panel, full-width doors, same roomy easy-to-clean interior—plus Chambers deluxe finishes inside and out. Two quality thermostats and signal lights, with super-fast preheat in fully automatic upper oven. Combination electric clock and 60-minute bell alarm.

Size over-all: 23 1/4" wide x 39 1/4" high. CUTOUT: 22" wide x 38" high x 23 3/8" deep.



OEB2-5CTW With optional features

SPECIFICATIONS ALL DOUBLE OVENS.



HUGE OVEN IN 24" CABINET!

Especially designed to use all space in a 24" cabinet, main oven is 5580 cubic inches: 18" wide x 20" deep x 15.5" high. Simplest to clean, too: All racks and rack runners snap out, bake elements are hinged to lift up, exposing perfectly smooth gray titanium porcelain interior.

ROTISSERIE Model ROT-41

Exclusive new homemaker-tested design: Rotisserie frame and spit rest snugly on broiler pan. Simply pull out broiler pan to carry entire unit! Broiler pan catches juices, saves cleanup. Rotisserie switch and signal light on deluxe models.

DELUXE "DROP-IN" SURFACE RANGES

33" Surface Ranges




T1-33EH... with "Heat Miser," deluxe handles

T1-33E... 4 infinite elements, deluxe handles

TC33-E... standard handles

Only 3" deep shadow-thin design permits up to 6 sq ft drawer. Self-framing, deep-sculptured deck protects adjacent surfaces from hot utensils. Two 6" and two 8" Super-Jet elements with infinite control settings—plus deluxe thermostat "Heat Miser" on right front element of T1-33EH. Drops into 36" cabinet.

SPECIFICATIONS



Amps: 31


"Space-Saver" Drop-In Range



T1-21E

Top quality in a space-saving design! Deep sculptured deck protects adjacent surfaces from hot utensils. Three 6" and one 8" Jet-Speed elements with seven speeds. Smart instrument panel easily read across room. Fits 24" cabinet. Porcelain range box—easy to clean and keep clean!


SPECIFICATIONS



Cutout interchangeable with T1-21G

Amps: 27

Rim-Type 33" Drop-In




TOR-33EH... with "Heat Miser" deluxe controls

TOR-33E... standard controls

Only 3" deep—shadow-thin design permits six square feet of drawer below. Rim-type, with deck flush with countertop. Chrome trim is waterproof all around. Two 6" and two 8" Super Jet elements swing up for easy cleaning. Porcelain inner range box for easy cleaning. Deluxe thermostat "Heat Miser" on right front element of TOR-33EH.

SPECIFICATIONS:



Amps: 31

For the
HEART of
Family
Living . . .



. . . to broil a better steak

Here's the only "In-A-Top" all-electric broiler and griddle . . . smokeless man-size broiler rises counter-high at a flick of your wrist . . .



Model TO-42E

**All Front Controls • Fingertip Operation
Satin Chrome Top Decks**

Installs on 42" wide, 28" high base cabinet


Over-all size: 42" wide, 25" deep, 8" high

You'll never stoop to broil again . . . smokeless thermostat-controlled electric broiling . . . counter-high! Perfect temperature control of griddle . . . counter-high! This is the only broiler wherein you never touch a hot rack from start to finish—and you can serve direct to table in the attractive "sizzling platter." Easy to clean and keep clean! Matched instrument panel, infinite heat settings on two 1250-watt elements, one 2100

watt and one 2100 thermostat "Heat Miser" on right front element. Antique Copperlux front panels, 4" back-splash and right or left side panels optional. Specify. Over-all size: 42" wide x 8" high x 25" deep. Unit mounts on 42" x 28" high cabinet. *Recommended installation:* Shim base to 28 $\frac{3}{8}$ " to elevate deck to 36 $\frac{3}{8}$ " for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven cutout begin 29 $\frac{1}{4}$ " from floor.) Total wattage: 9300.

MODEL TO-42C "Contempra"— Identical with TO-42E except with live-flame broiler. Total wattage: 6700. Amps: 31

SPECIFICATIONS



TO-42E TOTAL WATTAGE: 9300 AMPS: 43



All Chambers electric ovens and surface ranges operate on 120/240 volt AC three-wire electrical service.

Chambers BUILT-INS CO., Arlington Heights, Illinois
A Division of Chambers Corp.

Chambers

for those few


... who demand excellence of craftsmanship with cooking performance beyond compare ... we here present ovens and ranges whose achievements you can hardly believe without a demonstration ... a new and finer concept from

Imperial
Electric
Built-ins

Chambers® Built-ins

What do you want in an oven? Perfection in baking? ... in roasting? ... in broiling and grilling? ... Do you want completely automatic performance? Then read on! ... Remember first: you may cook as you have always cooked with joyful results in these wonderful ovens. But you can also do much, much more ... *These are the only ovens* which finish a full hour's cooking with only 20 minutes of electricity ... *these are the only ovens* which finish a complete meal, with foods of different cooking times—automatically, with the electricity turned

COOK
WITH THE
Electricity
TURNED
off!®



Chambers Imperial Ovens are Custom-matched in classic design, colors, and trim to other Chambers built-in appliances.

off ... *these are the only ovens* which finish your complete meal while you're away, keep it hot until you arrive with the guests, and let you serve one minute later ... *these are the only ovens* which defrost frozen foods, start them cooking with a few minutes fuel, finish cooking while you're away, then keep them hot indefinitely—all automatically ... *these ovens are engineered like no others in the world today* ... With Chambers retained-heat automatic cooking you discover a world of kitchen freedom you never thought possible. For proof, we ask that you see a demonstration—or simply ask any user of these Chambers ovens!

SPECIFICATIONS

Here's the finest in 50 years from Chambers craftsmen ... Luxurious styling, superb performance! Each is quality-matched to all Chambers Refrigerator-Freezers, Dishwasher-Driers, Ventilating Hoods, Disposers.


Chambers
BUILT-INS

Conversat

REASON: . . . these ovens alone defrost frozen
turned off, then keep them hot until you

New Imperial Twins

Model OEO-42 Satin Chrome Model OEO-52 Antique Copperlux
Model OEO-82 Porcelain Colors




These ovens were planned and produced with one purpose: to accomplish the finest cooking possible with no attention from the homemaker after the first few minutes—and with results to please the most exacting gourmet . . . Each oven is engineered to hold all heat possible *inside the oven*: custom-ground castings form a perfect seal around each door . . . a unique latch holds heat inside—and 47 pounds of superior insulation (three times that of most other ovens) make it the "coolest cooking" ever.

Each oven is complete, with 100% automatic clock control, automatic appliance outlet, pushbutton oven light, rotisserie, and special "Keep Warm" control . . . *Each oven broils smokelessly with the oven door closed* . . . It's simple to operate and easy to clean: side racks lift out leaving smooth interior exposed . . . Once you see and understand their multiple features, you'll agree that no paragraph can cover their performance and labor-saving features.

EACH OVEN DOES A FULL MEAL FOR 12-20 ... WITH NO POTWATCHING ...

Use any cookbook with perfect results—or step up to time and labor-saving Chambers automatic retained heat. This complete meal was started with a few minutes electricity, finished cooking on the heat retained in the oven—and kept warm until time to serve. Arrive with your guests and serve the meal hot from the oven! And you broil smokelessly with the door closed.

All New! In-A-Wall "IMPERIAL TWINS"



Provide junction box on side or rear wall 8" below supports

An Access Panel should be provided in front or rear of installation.

Twins may be built into any 54" Oven Cabinet (or 2-27" oven cabinets) on simple 2" x 4" framing to support 500 lbs. Access panel should be provided in front or rear of installation. Twin oven size: 50 3/4" wide x 28 5/8" high. **CUTOUT** 48 5/8" wide x 26 3/4" high x 24" deep. Wattage Each Oven: 3000-watt broil, 2000-watt bake. Total Twin Ovens: 10000-watts. (120-240 Volt AC, Single Phase 3-wire electric service) Listed for Reexamination Service by Underwriter's Laboratories. Wattage: 10000 Amps: 46



tion Pieces!

n foods, finish cooking with the fuel
you're ready . . . all automatically . . .

Imperial Single

Model OEO-4 Satin Chrome
Model OEO-5 Antique Copperlux
Model OEO-8 Porcelain Colors

Acclaimed the "finest" by expert chefs and home-makers the world over, this identical single version of Chambers Imperial Twins will easily accommodate the average family. Deep-sculptured frame and instrument panel match all other Chambers built-ins. 100% automatic clock control and appliance outlet, pushbutton rotisserie, oven light, "Keep Warm" controls. Perfect "Uni-Temp" baking and roasting, plus smokeless broiling with the oven door closed . . . It, too, finishes a complete meal with foods of different cooking times — automatically while you're away . . . This oven will serve up to 20 people with minimum effort and perfect results . . . Because of its many wonderful features, we suggest that you see and understand the qualities of this oven firsthand.



Single "Stack-On" Retained-Heat Electric Oven

Oven sits on a cabinet 24" wide, 28" high. Regular 30" wall cabinet drops down on insulated top, creating "built-in" look at low, low cost.



OEO-4 Satin Chrome
OEO-5 Antique Copperlux

Compare This Chambers Retained-Heat Construction With Any Other Oven!

1: Automatic Clock Control on Imperial Ovens. One-step control on other models for entire cooking operation.

2: Easy-Clean Oven Racks: Non-tip, non-spill, with safety backguard. Side runners lift-out.

3: Big 3-Section Broiler: Eliminate smoke when broiling with oven door closed.



Operates on 120/240 Volts, AC, Single Phase 3-Wire Service



4: Precision-Fitted Door and Frame: Only Chambers Deluxe Ovens have precision cast-iron oven door seal. Holds heat in.

5: Plunger Door Seal: Only Chambers has this commercial-type latch: seals heat in.

6: Super-Insulated . . . for Cooler Cooking: Pounds more insulation than any other. Holds heat in.

7: Fast 3000 Watt Broil Element: Tubular, with no coils exposed.

8: Stainless Steel Heat Reflector: Mirror-polished, for perfect broiling, and "Uni-Temp" baking.

9: 2000-Watt Bake Element: Tubular, removable for cleaning. Operates with broil element for perfect baking!


10: Removable Control Panel: All normal service accessible from front.

EASY IN-A-WALL INSTALLATION

Single Imperial Oven installs in wall or 27" oven cabinet, with framing to support 250 lbs. Provide access panel at front or rear of installation for connection. Broil: 3000-watts, Bake: 2000-watts. Overall Size: 26 3/4" wide x 28 5/8" high. **CUTOUT: 24 5/8" wide x 26 3/4" high.** Shipping Weight 225 lbs. Start cutout 27" from floor. (For installation beside Model TO-42 broiler-griddle, see details on page 4.)


Wattage: 5000 Amps: 23

"Stack-On" Oven



OEO-5 Copperlux
OEO-4 Satin Chrome
Wattage: 5000
Amps: 23

A new high in gourmet performance! Cooks a complete meal with only 30 minutes of current, finishing automatically while you're away. Simple one-knob electric clock shutoff. Broils with doors closed — smokelessly! Broiling: 3000 watts, Baking: 2000 watts. Shipping weight: 225 lbs.




The most automatic oven ever built! Be away from your kitchen all day . . . arrive with guests and serve a full meal . . . straight from the oven!

....to broil a better steak

... Here's the only In-A-Top All-Electric Broiler and Griddle ... Man-Size Broiler rises counter-high at a flick of your wrist ...



Model TO-42E




All Chambers Electric Surface Ranges Operate on 120/240 Volt, AC. Single Phase, 3 Wire Service

You'll never stoop to broil again ... Smokeless thermostat-controlled electric broiling ... counter-high! Perfect temperature control of griddle ... counter-high! This is the only broiler wherein you never touch a hot rack from start to finish—and you can serve direct to table in the attractive "sizzling platter" ... Easy to clean and keep clean! Matched instrument panel, infinite heat settings on two 1500-watt elements, one 2100-watt and one 2100 thermostat "Heat Miser" on right front element ... 4" back-splash and right or left side panels optional. Specify. Overall size: 42" wide X 8" high X 25" deep. Unit mounts on 42" x 28" high cabinet. Recommended installation: Shim base to 28 3/8" to elevate deck to 36 3/8" for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven Cutout begin 27 1/4" from floor) ... Total Wattage: 9300. Shipping Weight: 165 lbs.

MODEL TO-42C "Contempra" — Identical with TO-42E except with live-flame broiler. Total Wattage: 6700 Amps: 31

SPECIFICATIONS




TO-42E Total Wattage: 9300 Amps: 43

SHADOW-THIN 33" RANGE

T1-33EH—With "Heat-Miser"
T1-33E—Without "Heat-Miser"

COLORS TOO! Drop-in Tops come in Satin Chrome, Coppertone, Pastels of Pink, Yellow, or Turquoise


New, Shadow-Thin styling... Exclusive, deep-sculptured, elevated Satin Chrome deck... Only 3" below top permits 6 sq. ft. drawer below ... drops into 36" cabinet.



RIM-TYPE 33" Range

TOR-33EH

"B" 1/2" Min. to Nearest Vert. Wall



Form ERH-101

Chambers BUILT-INS CO.

A Division Of Chambers Corp.

In Keeping with Chambers Policy of Continuous Improvement, Models and Specifications are Subject to Change Without Notice


Chicago 35 • Ill.

Litho U.S.A.

For the HEART of Family Living . . .



Matched Custom and Deluxe Gas Ovens and Surface Ranges*



CUSTOM-MATCHED DESIGNS, FINISHES AND COLORS . . .

All Chambers Built-ins match not only in finishes and colors, but in frames, trim, control panels, and accessory detail. Choice of two deluxe finishes, four colors:

Antique Copperlux: Lustrous hand-textured finish especially developed by Chambers, harmonizes with natural wood. Nine separate operations lend rich depth, durability. Won't crack, craze, tarnish. Cleans with damp cloth.

Satin Chrome: Fine-grained satin finish, famous for its sheen and durability. Easy to clean.

Architectural Porcelain Colors: Chambers deep-fired colors hold their brightness forever, clean like china. Choice of Decorator White, Turquoise, Pink, or Yellow in ovens and surface ranges. Coppertone porcelain matches Antique Copperlux, comes in drop-in surface ranges only.

*Chambers Imperial Retained-Heat Ovens described in separate specifications. "Cook with the fuel turned off."



Your Kitchen Plans Deserve the Finest . . .



SINCE 1910 . . . the most honored name in America's finest kitchens.

SPECIFICATIONS

The finest from Chambers craftsmen; a size and model for every kitchen plan! Luxurious styling, superb performance, quality-designed in lustrous finishes to match all Chambers Built-ins: refrigerator-freezers, dishwasher-dryers, ventilating hoods, disposers. Years from now, you'll be proud you chose Chambers!

DELUXE "OVERSIZE" GAS OVENS



Model OGV1-5A1R

nonfog oven window, light, and switch. Tremendous oven capacity—holds largest domestic roasters. Convenient rotisserie, switch, and light. Huge 2-piece porcelain broiler. Easy-clean interiors. Size over-all: 23 1/8" wide x 39 1/8" high. CUTOUT: 22" wide x 38" high x 2 3/8" deep.

OGV1-5A1R

Antique Copperlux

OGV1-4A1R

Satin Chrome

OGV1-8A1R

Porcelain Colors


100% automatic Roast Guide clock control, 60-minute timer. Deluxe Lo-Temp Flame-Master thermostat automatically holds food serving hot! Deluxe satin picture frame around oven and doors, with deep-dimension control panel. Automatic clock-controlled outlet makes any electric appliance automatic! Smart tubular door handle grips over or under. Huge

Automatic Roast Guide on deluxe models. Fully automatic clock control. 60-minute timer rings until stopped. **Deluxe Flame-Master Lo-Temp** thermostat automatically keeps food hot 'til serving. Sculptured satin knob on deluxe models.

Deluxe 3-dimension eye-level control panel. Sculptured picture frame around oven and doors on deluxe models. Wide doors on custom models.

Huge capacity oven. Largest interior area in 24" space! Silicon rubber door seal. Oven and broiler burner: 17,500 Btu.

Doors open level with counter: special exclusive hinges open door flat for level support of hot roasters, etc.



Huge, smokeless broiler compartment, two-piece porcelain broiler.

Now des... broiler... food on s... unit. Pan... Rotisserie... (deluxe m... **Big, non...**... dow with... on deluxe... **Smooth,**... teriors: si... perfectly... titanium gu... **Cutouts** in... other comp... **Nontilt,** n... with backg... accidentall...

Equipped



Chambers Deluxe AUTOMATIC ROAST GUIDE

The ultimate in roasting perfection! Automatically transfers all settings for any weight roast, cooks the roast as you wish—then keeps it hot 'til you serve! This "automatic cookbook" is the greatest advance in automatic timed cooking in 20 years. Two simple settings.



A.G.A. ... Natur...



Model OGB-5CTW

with optional window and light, automatic clock and 60-minute timer.

MATCHED "CUSTOM" GAS OVENS

OGB-5 Antique Copperlux

OGB-4 Satin Chrome

OGB-8 Porcelain Colors

Choice of optional features: huge window and oven light, combination electric clock and four-hour timer, or manual timer. Specify.

Here's the wide, wide look in a 24" gas oven! Lo-Temp Flame-Master oven thermostat holds oven at "keep-hot" 140° temperature 'til you serve. White porcelain control panel with standard accessories and deluxe three-dimensional trim. Full-width door panels in Chambers matched finishes or colors. Easy-to-clean oven features. Huge oven is identical in construction with Chambers' deluxe models.

Oversize smokeless broiler compartment with quality two-piece porcelain broiler and shield.

Basic ovens are solid door models. Add the deluxe features you wish. Large nonfog window and light, combination electric clock with four-hour timer and alarm, or 60-minute manual timer with bell alarm.

Cutouts are interchangeable with other comparable Chambers models: over-all size: 23 1/8" wide x 39 1/8" high. CUTOUT: 22" wide x 38" high x 2 3/8" deep.

All-New 33" Drop-in Range

New shadow-thin design allows six square feet of cooking area. Elevated deck protects adjacent utensils. All-porcelain interior. Drip rings. Drops into any cutout.


Cutout interchangeable

T1-33GSH—Super deluxe "Super-Daisy" simmer act thermostat "Heat Miser" on Deluxe sculptured controls

T1-33GS—Four new "Super-Daisy" burners.

T1-33GH—Three high-speed burners and thermostat "Heat Miser"

T1-33G—Four high-speed burners



- Fit 24" Cabinet

sign...tisserie: rests
r pan, rack, and
spit removable as one
n catches drippings.
e, switch, signal light
models).

...fog, easy-view win-
oven light and switch
models.

...easy-to-clean in-
side runners snap out,
y smooth interior of
gray porcelain.

interchangeable with
comparable models.

nonspill oven racks
guard, can't pull out
ly.

for outside venting.


- OGV1-51**
Antique Copperlux
- OGV1-41**
Satin Chrome
- OGV1-81**
Porcelain Colors

A tremendous value in a quality package! Smart three-dimension glass control panel, combination electric clock with four-hour timer and bell alarm. Deluxe Lo-Temp Flame-Master thermostat with sculptured satin control knob. Smart tubular door handle grips over or under. Huge nonfog window, oven light, switch. Same huge oven capacity with all convenience features. Tremendous broiling space with two-piece porcelain broiler. Convenient electrical outlet. Optional rotisserie can be quickly installed without removing oven from cabinet. Rotis by Inserting spit in receptacle. Chambers deluxe quality throughout. Size over-all: 23 1/2" wide x 39 1/8" high. CUTOUT: 22" wide x 38" high x 23 1/2" deep.



Model OGV1-51

SPECIFICATIONS ALL OVENS



PROVIDE 110 VOLT RECEPTACLE
AT TOP ON CENTER LINE


TRULY CONVENIENT ROTISSERIE Model ROT-41

Exclusive new homemaker-tested design: Rotisserie frame and spit rest snugly on broiler pan. Simply pull out broiler pan to carry entire unit! Broiler pan catches juices, saves cleanup. Rotisserie switch and signal light on deluxe models.

APPROVED — approved for all gases
rural, Manufactured L. P. Bottled or tank.

New Lo-Temp Flame-Master Thermostat

On all Chambers Deluxe and custom gas ovens. Lo-Temp controls oven temperature down to a precise 140°. Keeps the meal hot 'til serving time—with no fear of overcooking!



NEW! Chambers "Super-Daisy"* Burners

Developed through years of research! Each Chambers "Super-Daisy" is actually four burners in one. Unlike large circular burners, there is no hot spot on the outside with a cold spot inside—but perfect heat distribution with all flame directed to the pan bottom. Each "Super-Daisy" burner may be adjusted to "simmer" or "Keep-Warm" to your wishes!

*Each flame forms a daisy-like pattern.

Choice of Colors in Drop-in Ranges

Drop-in surface ranges are available in Satin Chrome and titanium porcelain colors: Decorator White, Turquoise, Pink, Yellow, and Copper-tone to match Copperlux ovens. Specify.

only 3" below counter
drawer space below.
jacent surfaces from
ner range box and
36" counter.


with Model T1-33E.

e, with three new
ion burners and one
on right front burner.

Super-Daisy" simmer

eed aluminum cast
eat Miser."

aluminum burners.



"Space-Saver" Drop-in Range


Fits only 21" counter space!

T1-21GH—Three high-speed aluminum burners and thermostat "Heat Miser" on right front burner.

T1-21G—Four high-speed aluminum burners.

Cutout interchangeable with Model T1-21E

Super quality and capacity in only 21" counter space! Sculptured deck elevates hot pans slightly, protecting nearby surfaces. High-speed gas burners have Hi-Lo-Click simmer valves. Range box interior is porcelain for easy cleaning. Drops into any 24" cabinet.



For the
HEART of
Family
Living . . .



. . . to broil a better steak

Here's the only "In-A-Top" gas broiler and griddle . . . man-size smokeless broiler rises counter-high at a flick of your wrist . . .



Model TO-42G

**All Front Controls • Fingertip Operation
Satin Chrome Top Decks**

Installs on 42" wide, 28" high base cabinet


Over-all size: 42" wide, 25" deep, 8" high

You'll never stoop to broil again . . . smokeless broiling and grilling, counter-high! This is the only broiler wherein you never touch a hot rack from start to finish—you can serve direct to table in the attractive aluminum broiler "sizzling platter." Easy to clean and keep clean! This unique broiler and griddle features matched instrument panel, three

oversize "Super-Daisy" speed burners, with thermostat "Heat Miser" on right front burner . . . Antique Copperlux front panel, 4" back-splash and right or left side panels optional.

INSTALLS ON 42" CABINET Over-all size: 42" wide x 8" high x 25" deep. Unit mounts on 42" x 28" high cabinet. *Recommended installation.* Shim base to 28 $\frac{3}{8}$ " to elevate deck to 36 $\frac{3}{8}$ " for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven cutout begin 29 $\frac{1}{4}$ " from floor.) Shipping weight: 165 lb.

SPECIFICATIONS



A. G. A. APPROVED—
approved for all gases . . .
Natural, Manufactured
L. P. Bottled or tank.

Chambers BUILT-INS CO., Arlington Heights, Illinois
A Division of Chambers Corp.

Chambers

for those few

... who demand excellence of craftsmanship with cooking performance beyond compare ... we here present ovens and ranges whose achievements you can hardly believe without a demonstration ... a new and finer concept from


Chambers® Built-ins

What do you want in an oven? Perfection in baking? ... in roasting? ... in grilling? Do you want completely automatic performance? Then read on! ... Remember first: you may cook as you have always cooked with joyful results in these wonderful ovens. But you can also do much, much more ... *These are the only ovens* which finish a full hour's cooking with only 10 minutes of gas after a few minutes preheat ... *these are the only ovens* which finish a com-

Imperial
Gas
Built-ins

COOK
WITH THE

Gas
TURNED
off!®



Chambers Imperial Ovens are Custom-matched in classic design, colors, and trim to other Chambers built-in appliances.

plete meal, with foods of different cooking times — automatically, with the gas turned off ... *these are the only ovens* which let you grill juicy steaks and chops smokelessly on a huge oven platter and serve the attractive platter sizzling to the table ... *these ovens are engineered like no others in the world today* ... With Chambers retained heat cooking, you discover a world of kitchen freedom you never thought possible.

SPECIFICATIONS

Here's the finest in 50 years from Chambers craftsmen ... Luxurious styling, superb performance! Each is quality-matched to all Chambers Refrigerator-Freezers, Dishwasher-Dryers, Ventilating Hoods, Disposers.

Chambers
BUILT-INS®

Conversat
REASON: . . . these ovens finish complete meals —
the fuel turned off, then keep them ho

New Imperial Twins


Model OGAO-42 Satin Chrome
Model OGAO-52 Antique Copperlux
Model OGAO-82 Porcelain Colors

These ovens were planned and produced with one purpose: to accomplish the finest cooking possible with no attention from the home-maker after the first few minutes—and with results to please the most exacting gourmet . . . Each oven is engineered to hold all heat possible *inside the oven*: custom-ground castings form a perfect seal around each door . . . a unique latch holds heat inside—and 47 pounds of superior insulation (three times that of most other ovens) make it the "coolest cooking" ever.


Each oven is complete with single one-step control, electric clock with automatic appliance outlet, pushbutton oven light, and special "Keep Warm" thermostat . . . *Each oven grills steaks and chops smokelessly with the oven door closed* . . . Heavy attractive cast aluminum oven grill platter furnished. It's simple to operate and easy to clean: side racks lift out leaving smooth interior exposed . . . See and understand their multiple features; then you'll agree that no paragraph can cover their performance and labor-saving features.

EACH OVEN DOES A FULL MEAL FOR 12-20 . . . WITH NO POTWATCHING . . .

Use any cookbook with perfect results—or step up to time and labor-saving Chambers automatic retained heat. This complete 3-hour meal was started with only 30 minutes gas-on, finished cooking on the heat retained in the oven—and kept warm until time to serve. Arrive with your guests and serve the meal hot from the oven! And you oven-grill smokelessly with the door closed.




All New! In-A-Wall "IMPERIAL TWINS"



Start cutout 27" from floor.

Twins may be built into any 54" Oven Cabinet (or two 27" oven cabinets) on simple 2" x 4" framing to support 500 lbs. Access panel should be provided in front or rear of installation. Twin Oven Size: 50 3/4" wide x 28 5/8" high. **CUTOUT:** 48 5/8" wide x 26 3/4" high x 24" deep.



ion Pieces!

with foods of different cooking times — with
not until you're ready . . . automatically . . .

Imperial Single

Model OGAO-4 Satin Chrome
Model OGAO-5 Antique Copperlux
Model OGAO-8 Porcelain Colors

Acclaimed "finest" by expert chefs and homemakers the world over, this identical single version of Chambers Imperial Twins easily accommodates the average family. Deep-sculptured frame and instrument panel match all other Chambers built-ins. 100% automatic clock and appliance outlet, push-button oven light, "Keep Warm". Smokeless grilling, with large satin sizzling serving platter furnished . . . It, too, finishes a complete meal with foods of different cooking times — automatically while you're away . . . This oven will serve up to 20 people with minimum effort and perfect results . . . Because of its many wonderful features, we recommend that you see and understand the qualities of this oven firsthand.




Inexpensive "Stack-on" Oven

Model OGA-4 Satin Chrome
Model OGA-5 Antique Copperlux

Oven sits on a cabinet 24" wide, 28" high. Regular 30" wall cabinet drops down on insulated top creating shelf and "built-in" look . . . quick, easy, low-cost installation.


Overall Size: 24" Wide x 26" High



Compare Chambers Retained-Heat Construction With Any Other Oven!

1: Super-Insulated . . . Cooler Cooking! 47 pounds—more insulation than any other gas oven! Seals heat in.

2: Concealed Oven Vent: Requires no expensive outside venting! Heavily baffled top section directs heat away from cabinets while fuel is on — no heat into kitchen.



A.G.A. Approved — For all gases . . .

3: Precision-Fitted Door and Frame: Only Chambers builds this precision cast-iron oven door seal. Prevents heat loss around oven door; keeps your kitchen cooler.

4: Plunger Door Seal: Only Chambers has this commercial-type latch.

5: Easy-Clean Oven and Basket Racks. Non-tip, non-spill racks with safety backguard. Side runners lift out for easy cleaning of Chambers gray all-porcelain interior. Racks level quickly for perfect baking.


6: Easy-Action Door: Heavy door opens and closes at a touch. Counterbalanced door, springs away from heat zone.

7: Exclusive Vent and Valve Control: Only Chambers seals all heat in the oven! Vents close when gas is turned off!

8: Exclusive Heavy Baffle Plate: Distributes heat evenly.


9: Jet-Speed Cast Iron Oven Burner. Maintains perfect temperature control to 550°.

IMPERIAL "In-A-Wall" Gas Oven



Single Imperial Oven installs in wall or 27" oven cabinet, with framing to support 250 lbs. Provide access panel at front or rear of installation for connection. Overall Size: 26 3/4" wide x 28 5/8" high. CUTOUT: 24 5/8" wide x 26 3/4" high. Shipping Weight 225 lbs. Start cutout 27" from floor. (For installation beside Model TO-42 broiler-griddle see details on page 4.)

Single "Stack-On" Retained-Heat Oven




OGA-4 — Satin Chrome
OGA-5 — Antique Copperlux

....to broil a better steak

Here's the only In-A-Top gas Broiler and Griddle . . .
Man-Size smokeless Broiler rises counter-high at a
flick of your wrist . . .




Model TO-42G



You'll never stoop to broil again . . . Smokeless broiling and grilling, counter-high! This is the only broiler wherein you never touch a hot rack from start to finish — you can serve direct to table in the attractive aluminum broiler "sizzling platter" . . . Easy to clean and keep clean! This unique broiler and griddle features matched instrument panel, three oversize "Super-Daisy" speed burners, with thermostat "Heat Miser" on right front burner . . . 4" back-splash and right or left side panels optional.

INSTALLS ON 42" CABINET Overall size: 42" wide x 8" high x 25" deep. Unit mounts on 42" x 28" high cabinet. Recommended installation Shim base to 28 3/8" to elevate deck to 36 3/8" for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven Cutout begin 27 1/4" from floor) . . . Shipping Weight: 165 lbs.




SHADOW-THIN 33" RANGE



COLORS TOO! Drop-in Tops come in Satin Chrome, Coppertone, Pastels of Pink, Yellow, or Turquoise

New, Shadow-Thin styling . . . exclusive, deep sculptured, elevated Satin Chrome Deck . . . protects adjacent surfaces and elevates utensils. Easy-to-read top controls . . . safe from toddlers fingers. All porcelain range box and drip-rings. Only 3" below counter top permits 6 sq. ft. drawer below...Drops into 36" cabinet.

T1-33GSH—3 Simmer-Center, Daisy Burners & "Heat Miser"
T1-33GS—Identical, Except 4 Daisy Burners



Cutout Identical With Interchangeable Model T1-33EH

Chambers
Division of Chambers Corp.

BUILT-INS CO. • 2012 North Harlem Ave., Chicago 35, Illinois

Chambers®
QUALITY BUILT-INS



DELUXE

Model HP "Provincial" Scalloped Edge

Blower-Powered Ventilating Hoods




Custom-Matched Finishes Matched to all other Chambers Built-ins! Choose from rich Antique Copperlux*, lustrous Stainless Steel, or any of Chambers easy-to-clean decorator colors in Chambers straight-edge hoods: Turquoise, Pink, Yellow, or Decorator White. All Chambers ventilating hoods clean quickly, easily with the swish of a damp cloth.

*Antique Copperlux—An exclusive Chambers development, harmonizes perfectly with natural wood finishes. Unique *hand-brushed* texture.

SPECIFICATIONS

Whisk kitchen heat, smoke, grease, and odors outside quickly, silently, *completely*, with a Chambers blower-powered deluxe ventilating hood. Extensive tests prove that centrifugal blower power is the only sure way to remove grease-laden smoke, heat, and odors from your kitchen *permanently*. Chambers deluxe centrifugal hoods and blowers actually *pull* smoke, grease, and odors from all over the kitchen and *push* them outside. For highest efficiency Chambers engineers recommend a twin-blower installation with dual-speed controls. Use single speed for ordinary venting, to conserve heat and air conditioning. Use double speed for emergency venting.

Exclusive Construction Features! The entire Chambers hood is die-cut, lock-formed, welded into one rigid piece for lifetime vibration-free operation.



Model HC "Contemporary" Straight Edge.

Chambers SINCE 1910 . . . the most honored name in America's finest kitchens.

Chambers

QUALITY BUILT-INS



Model HP
"Provincial"
Scalloped Edge


Model HC
"Contemporary"
Straight Edge

DELUXE BLOWER-POWERED VENTILATING HOODS

The finest quality ventilating hood you can install in your kitchen. Custom-matched to other Chambers built-in appliances. Exclusive die-formed canopy is lock-welded to form a solid vibration-free unit. In rich Antique Copperlux, Stainless Steel, or Chambers decorator colors in straight-edge hoods: Turquoise, Pink, Yellow, or White. Choice of nine models.


Copperlux Provincial	Copperlux Contemporary*	Stainless Steel Contemporary*
HP-30-5/30" wide	HC-30-5/30" wide	HC-30-4/30" wide
HP-36-5/36" wide	HC-36-5/36" wide	HC-36-4/36" wide
HP-42-5/42" wide	HC-42-5/42" wide	HC-42-4/42" wide

All models 19-3/8" deep x 9-7/16" high. *Colors available in straight-edge (HC) hoods only. Back-splash panels: In all hood widths—24" high, In Stainless Steel or Copperlux. Splashes are easily mounted on back wall. Optional.




Vertical Vent

Cut 4" x 10-1/2" openings 1-3/8" from wall on center line in bottom, top, and shelves. Use standard 3-1/2" x 10" vent. Vent through roof, soffit, or side wall . . . using suitable damper and roof or wall cap.




Side-Wall Vent

Cut opening in bottom and back of cabinet for 3-1/2" x 10" duct . . . use 90° elbow, suitable wall cap, and damper to finish. 10" dimension is on center line for all types of cabinets.



Electrical

Run flexible conduit into cabinet area to reach cabinet bottom 1-3/8" out from wall and 6" to 7" left of center line. Wires may be connected inside cabinet. Hood is pre-wired with switches in housing. No wall switches required. 60 cycle, 115 volts, 3 amps.




Removable Filter
Permanent-type filter is housed in hinged holder for easy front removal.




Chambers Space-Saver!

Blower mounts in hood below cabinet, exhausts through narrow flat duct, leaves front and both sides of cabinet clear for storage.



Easy Cleaning

Permanent-type filter catches smoke and grease . . . easily cleaned in hot water or dishwasher.



Powerful High-Efficiency Blowers

B-91—Single speed, two light receptacles.
B-92—Two speeds, two light receptacles.
Either blower can be used in all deluxe hoods.

Chambers

QUALITY BUILT-INS



NEW

SUPER-EXHAUST MITERED VENTILATING HOODS

Smart, crisply modern design with silent high-speed exhaust. Mitered hood is tightly lock-welded for lifetime vibration-free performance. Sends heat, odors, smoke outdoors, keeps your kitchen fresh and comfortable. Comes completely assembled, ready to install.


Antique Copperlux

HFM-30-5/30" wide
HFM-36-5/36" wide
HFM-42-5/42" wide

Silvertone


HFM-30-4/30" wide
HFM-36-4/36" wide
HFM-42-4/42" wide

All models 18 1/4" deep x 5" high.
Chambers Colors available at no extra cost. Specify.
Back-splash panels in all widths and 24" high available for all hoods.




Vertical Vent

Cut 4" x 10-1/2" openings 1-1/2" from wall on center line in bottom, top, and shelves. Use standard 3-1/2" x 10" duct. Vent through roof, soffit, or side wall with suitable damper and roof or wall cap.



Side-Wall Vent

Cut opening in bottom and back of cabinet for 3-1/2" x 10" duct... use 90° elbow, suitable wall cap, and damper to finish. 10" dimension is on center line for all types of cabinets.



Space-Saving Feature!

Blower exhaust duct for hood below cabinet is narrow, flat. Front and sides of upper cabinet are clear and free for full use of available storage area.



SUPER-EXHAUST VENTILATING HOODS

Quiet, dependable super-exhaust fan removes smoke, odors from kitchen in a jiffy. Mounts flush with cabinets for built-in beauty. Back-splash panels in all hood widths, 24" high. Stainless Steel or Copperlux.

Fan Unit

Heavy-duty fan and motor draw kitchen odors, smoke through easily cleaned grill and filter—force stale air outdoors swiftly, silently.

Rotary fan units for HF hoods—Shipped complete, ready to install. F-100 fan and grill only. F-101 fan, grill, and filter. F-102 fan, grill, filter, damper, and reducer.


Triple-Baked Copperlux

HF-30-5/30" wide
HF-36-5/36" wide
HF-42-5/42" wide

Stainless Steel

HF-30-4/30" wide
HF-36-4/36" wide
HF-42-4/42" wide

All models 19-3/8" deep x 9-7/16" high.



Chambers®
QUALITY BUILT-INS

Chambers

Model HFM Mitered Edge Design

NEW

Super Exhaust Mitered Ventilating Hoods

SPECIFICATIONS

Add the smart, modern look to your kitchen with the crisp, clean lines of this new Chambers mitered ventilating hood. The perfect design for corner installations—protects adjacent cabinet doors. Sweeps smoke, odors, heat out of your kitchen in a jiffy. Smooth, silent operation.

Exclusive Chambers Construction Lock-welded mitered design assures a lifetime of vibration-free operation. Hood and powerful rotary fan unit come assembled complete, ready to install in minutes.

Chambers Decorator Finishes Your choice of lustrous Antique Copperlux, gleaming Silvertone, or any of Chambers deluxe decorator colors: Turquoise, Pink, Yellow, or White—to match your kitchen decor.



View beneath hood
shows light receptacles and switches.



Chambers BUILT-INS CO., P.O. Box 218, Arlington Heights, Illinois
DIVISION OF CHAMBERS CORP.

Chambers®
QUALITY MATCHED BUILT-INS

Custom-Matched Deluxe Automatic Dishwashers Specifications

Two power washes and
four power rinses...
plus power drying
for really clean, really
sanitary performance

Completely new . . . completely
automatic! No prerinsing dishes . . .
just load, set, and walk away!
New automatic dual-detergent cup
lets you completely wash dishes
twice . . . four separate rinses . . .
sparkling sanitized drying! Store
12 full place settings all day . . .
wash at one time!

**New, luxurious
custom-matched
Chambers finishes**

Perfectly matched to all Chambers
built-ins with custom-keyed
handles, dials, and accessories.
Choose from:

- Rich, lustrous Antique Copperlux
- Gleaming Silver Satin Chrome
- Decorator-matched custom colors:
White, Pink, Yellow, or Turquoise

"Imperial"
Model
DPD-320
with
automatic
pushbutton
controls.
"Decorator
Door" panel
optional.




Compare These Quality Chambers Features

- **NEW "DECORATOR DOOR"** . . . Install panels to match your kitchen decor. Takes material 1/4" thickness or less, 1/8" recommended. Optional, specify.
- **COMPLETELY MATCHED DESIGN** . . . In finishes, styling, handles, trim and accessories. Chambers dishwasher gives the "custom-design" look without the custom price!
- **CHOICE OF WASH-RINSE-DRY CYCLES** . . . Choose the cycle to fit your situation! Prerinse and wash later! Turn dial . . . prewash heavy soil and wash later with full load. Set dial . . . warm plates only! A choice of six different wash-rinse-dry cycles!
- **EASY FRONT LOADING** . . . Saves counter space. Trays glide out on nylon bearings for quick, easy loading.
- **WONDERFUL ADD-A-DISH** . . . Lets you open the door and add that forgotten dish with no loss of hot water, detergent or cycle operation!
- **STEAM-FREE "COOL-WALL" DRYING** . . . Exclusive valve feature eliminates steam in kitchen. Door does not pop open, throwing steam in your face!
- **AUTOMATIC DUAL-DETERGENT DISPENSER** . . . Use one half for single wash cycle . . . use both dispenser units for heavily soiled dishes needing two wash cycles.
- **"CYCLONIC ACTION" WATER SPRAY** . . . Powerful impeller drives scalding water against every dish at the rate of 2520 gallons per wash cycle. Dishes come out sparkling clean!
- **SIMPLE ONE-STEP OPERATION** . . . Simply dial your cycle, turn handle, and dishwashing is done!
- **12 TABLE SETTING CAPACITY** . . . Holds and stores a full day's dishes.
- **DOORS INSULATED** . . . for quieter, smoother operation.
- **GUARD YOUR HEALTH** . . . Chambers uses water too hot for human hands, too hot for most bacteria!

Chambers SINCE 1910 . . . the most honored name in America's finest kitchens.

Chambers

Custom-Matched Deluxe Automatic Dishwashers



Deluxe Under-Counter Models

DPD-320—"Imperial" pushbutton pump*
DGS-300—Standard gravity* DPS-310—Standard pump*
*DWKT "Decorator Door" Kit. Optional, specify.

Look at these Chambers features!

- **SUPER-HEATED DRYING** . . . Big 1000-watt element quickly dries and sanitizes shining clean!
- **DURABLE HIGH-VELOCITY IMPELLER** . . . Throws fine spray of super-heated water against dishes at rate of 2520 gallons per cycle!
- **PERFECT FOR FINE CHINA** . . . Does fine porcelain-glazed china beautifully with far less chance of breakage, too!
- **AUTOMATIC DOOR CLOSING** . . . Door closes automatically when the lower rack is rolled into dishwasher!
- **ONE-YEAR WARRANTY** . . . On materials and workmanship.


CYCLE TIMES	Min.	CYCLE TIMES	Min.
Morning dishes, prerinse . . .	3	Rinse dry	22
Pot and pan prewash	16	Normal soil	36
Plate warm	10	Heavy soil	49

MECHANICAL SPECIFICATIONS


Height	34-1/2"	Depth	24-1/16"
Width	24"	Shipping Weight	115 lb
Motor	1/3 hp permanently oiled		115 volt, 60 cycle, a-c
Heater	115 volt, 1000 watts	Total rated load	15 amps
Water consumption			
Normal soil (single cycle)			7.0 gal.
Heavy soil (double cycle)			10.5 gal.

Chambers
DIVISION OF CHAMBERS CORP.


BUILT-INS CO., P. O. Box 218, Arlington Heights, Illinois




Easily loaded, fully accessible racks slide out at finger touch. Fits under any 36" counter, takes only 24" in width. Open door needs only 19" clearance.




Exclusive New "Swirl-A-Tray"
Upper rack rotates continuously through sprays of scalding water. Every dish is sparkling, sanitized, super-clean! Adjusts 7" up or down for tall glasses or large plates in lower section.




Gravity Drain Installation



Pump Drain Installation




WATER INLET CONNECTIONS . . . 3/8" standard pipe. Drain connections are 1-1/2" "P" type if drain runs through wall.
DISPOSER INSTALLATION . . . Disposer can be used with pump drain units. (Drain empties into disposer, meets codes.)



*Dimensions marked are from rear of dishwasher. If set out from wall to match cabinet fronts, add the distance to marked dimensions.

Chambers®

QUALITY MATCHED BUILT-INS




Custom-Matched Deluxe Refrigerator-Freezer

SPECIFICATIONS

Thrill to the breathtaking beauty, the outstanding performance of Chambers built-in refrigerator-freezers. Decorator-styled to match perfectly with Chambers gas or electric ovens . . . surface ranges . . . dishwashers . . . ventilating hoods . . . disposers. Capacious family-size RF1-190 Refrigerator-Freezer shown here with Chambers built-in oven, drop-in surface range, ventilating hood, and dishwasher—all in matched Chambers finishes.

Chambers Unique Refrigeration System

With Chambers "Uni-Temp" refrigeration, moist-cold air gently circulates up, out, and down to every corner of your refrigerator. Result—your Chambers maintains uniform temperature at all times—from top to bottom. Foods retain all their appetizing flavor.



Chambers "UNI-TEMP" Diffuser



Chambers Automatic Ice Maker

Delivers a continuous supply of ice cubes—automatically. No cube trays to fill. Makes and stores half-circles of ice—equal to 400 cubes daily. Ice maker starts when cubes are removed from tray, stops when bin is filled. Standard on deluxe refrigerator-freezers, optional on others.


Chambers

SINCE 1910 . . . the most honored name in America's finest kitchens.

Chambers®

Custom-Matched Refrigerator-Freezers

The ultimate in matched kitchen luxury with truly built-in beauty. Designer doors with magnetic seals, sculptured top-to-bottom easy-grip Satin Chrome handles. Beautifully finished in rich lustrous Antique Copperlux . . . gleaming Stainless Steel . . . or any of Chambers custom-matched colors at no extra cost: Decorator White, Pink, Turquoise, or Yellow. Removable Decorator Door panels allow you to insert 1/8" thick panels of wood, leather, fabric to match your individual kitchen decor.



Truly Built-in

No costly special cabinets, Chambers units are self-supporting, self-framing. Simply plug into 115/60 a-c outlet. All service from front. Doors line up perfectly with front of 24" cabinets.




RF1D-190
Refrigerator-
Freezer



UNDER-COUNTER ICE MAKER

Entirely automatic—makes and stores its own ice cubes—without a moment's attention! No messy water trays to fill . . . ice maker starts when cubes are removed from tray, stops when bin is filled. Produces half-circles, equal to 400 cubes, of ice daily (about 20 lb). Same smart built-in appearance as all Chambers matching appliances. Decorator Door lets you install fabric, wood, plastic panels 1/8" thick. All Chambers decorator color finishes available. Simple connection to 1/4" copper tube is all that is necessary.

UC1-300 Under-Counter Ice Maker



RF1-170
Refrigerator-
Freezer

RF1-170 COMBINATION REFRIGERATOR-FREEZER

Custom-matched luxury, built-in beauty—yet priced to fit modest budgets. This handsome Chambers combination refrigerator-freezer gives you 16-1/2 cu ft of storage space, yet takes only 36" of wall space. Its 73" height is ideal for problem installations: low ceilings, soffits, under stairways, etc. Full Chambers quality inside and out, with separate freezer compartment that "quick-freezes" foods at zero or lower temperatures. Choose from Antique Copperlux or Stainless Steel. All other Chambers finishes also available: Turquoise, Yellow, Pink, or White. Decorator Door lets you insert wood, plastic, or leather decorator panels to suit your personal taste.

Compare these wonderful Chambers features!


- 1 **Two separate systems**—Each deluxe refrigerator-freezer combination is *two* entirely separate systems, with *two* compressors, two sets of controls. Provides perfect refrigeration and freezing with less wear.
- 2 **Ideal modular dimensions**—Combination deluxe refrigerator-freezers are 36" wide over-all, and 84" high . . . level with top line of cabinets!
- 3 **Dust-free designer door and front**—Flush-in-wall Chambers refrigerators catch no dust or dirt.
- 4 **Self-venting**—No expensive ducts.
- 5 **Exclusive "Uni-Temp" system**—Provides uniform temperature from top to bottom.
- 6 **"Moist-cold" refrigeration**—Same superior refrigeration used commercially . . . protects and freshens meats and vegetables longer.
- 7 **Automatic defrosting**—All refrigeration units defrost automatically!

- 8 **Automatic ice maker**—Delivers a continuous supply of ice. Makes and stores half-circles of ice, equal to 400 cubes, daily. No cube trays to fill—completely automatic.
- 9 **Magnetic door closure**—Full magnetic seal around three sides of each door. Positive silent closure, always.
- 10 **High-fashion interiors**—Classic white with gray anodized glide-out shelves. Interior finish is baked-on aluminum . . . rustproof, chip-proof, and easiest to clean!
- 11 **Huge refrigeration plate**—Compare the size! Combined with the "Uni-Temp" system, assures uniform refrigeration temperature.
- 12 **Egg basket and crispers**—Egg basket holds two full cartons or three dozen eggs. Spacious crispers protect and freshen delicate vegetables.
- 13 **Huge storage doors**—Easy-reach storage with a place for everything.

- 14 **Freezer units**—Big-capacity door storage. All Chambers freezer units are especially designed to quick-freeze at 15° below zero . . . commercial freezing performance! Freezer coils lie beneath each shelf—directly below or above every package. Packages never touch coils—protects against "freezer burn." Quick-release ice-cube trays.
- 15 **Automatic freezer defrost**—Furnished in deluxe units, optional in others.
- 16 **Sculptured top-to-bottom "family" handle**—Grasps easily from either side! Graceful yet sturdy.
- 17 **Tall bottle storage**—For tall storage "problems."
- 18 **Butter and cheese keeper**—Conveniently located.
- 19 **Fruit basket**—Handy tilt-out design.
- 20 **Left or right hinge doors** as you face unit. Specify.



Interior of RF1D-190 Refrigerator-Freezer



One 115 V. 60 Cyl. Single PH. 15 Amp. Outlet or Junction Box

*Automatic ice maker optional. Specify.

*Includes automatic ice maker, automatic defrost, convenient lower swing-out shelf. Self-contained or remote installation. Remote installation easily made by qualified serviceman.


SPECIFICATIONS

Series RF1-190* and RF1D-190** Combination Refrigerator-Freezer

Capacity Refrigerator Freezer	12. cu ft 6.5 cu ft
Dimensions Height	84"
Width	36"
Depth	24"
Exact Rough-in Width	35-1/2"
Height	83-3/4"
Horsepower Refrigerator	1/6
Freezer	1/8
Shipping Weight	483 lb



Interior view of Under-Counter Ice Maker



A 1/4 Inch Copper Line Must be Provided In Compressor Compartment to Connect with Ice Maker Solenoid Valve.

One 115 Volt, 60 Cycle, Single Phase, 15 Amp. AC Wall Outlet or Junction Box Must be Provided in This Area.


SPECIFICATIONS

Series UC1-300 Under-Counter Ice Maker

Capacity	20 lb
Dimensions Height	34-1/2"
Width	18"
Exact Rough-in Width	18"
Height	34-1/2"
Depth	23"
Horsepower	1/5
Shipping Weight	150



Interior of RF1-170 Refrigerator-Freezer



*Automatic ice maker optional. Specify.

Self-contained or remote installation. Remote installation easily made by qualified serviceman.

One 115 V. 60 Cyl. Single PH. 15 Amp. Outlet or Junction Box

2 UNITS SIDE BY SIDE. ROUGH-IN WIDTH: 71 1/2"

SPECIFICATIONS

Series RF1-170 Refrigerator-Freezer*

Capacity Refrigerator Freezer	11.7 cu ft 4.5 cu ft
Dimensions Height	73"
Width	36"
Depth	24"
Exact Rough-in Width	35-1/2"
Height	72-3/4"
Horsepower	1/4
Shipping Weight	435

Chambers

QUALITY MATCHED BUILT-INS


LUXURIOUS "IMPERIAL" MATCHING REFRIGERATOR-FREEZER UNITS

The last word in sumptuous refrigeration and freezing for large families, major social occasions. A breathtaking sweep of built-in beauty—with 32 cu ft of storage capacity in just 72" of wall space! May be installed together or separately. All Chambers finishes available, also Decorator Door inserts.

SPECIFICATIONS

"Imperial" Refrigerators / Freezers

	R1-180	F1-180* F1D-180**
Capacity Refrigerator Freezer	17 cu ft —	— 14 cu ft
Dimensions		
Height	73"	73"
Width	36"	36"
Depth	24"	24"
Exact Rough-in Width Height	35-1/2" 72-3/4"	35-1/2" 72-3/4"
Horsepower Refrigerator Freezer	1/5 —	— 1/4
Shipping Weight Refrigerator Freezer	380 —	— 415




*Automatic ice maker optional. Specify.

**Includes automatic ice maker, automatic defrost, convenient lower swing-out shelf.

°Rough-In width 71-1/2" when placed side by side.

"Imperial" Refrigerator and Freezer Combination



R1-120 Refrigerator
F1-120 Freezer



SPECIFICATIONS


"V.I.P." Twin Refrigerators / Freezers

	R1-120	F1-120**
Capacity Refrigerator Freezer	12 cu ft —	— 9.5 cu ft
Dimensions		
Height (Remote)	47-1/4"	47-1/4"
Height (Self-Cont.)	58-1/4"	58-1/4"
Width	36"	36"
Depth	24"	24"
Exact Rough-in Width*	35-1/2"	35-1/2"
Height (R)	46-3/4"	46-3/4"
Height (SC)	57-3/4"	57-3/4"


*Rough-in width 71-1/2" when placed side by side.

Grill furnished as extra equipment for self-contained installation.

**Automatic ice maker optional. Specify.



R1-200
Refrigerator-Freezer



SPECIFICATIONS

Series R1-200 Refrigerator-Freezer 25 lb Freezer Capacity

	R1-200*
Capacity Refrigerator	19 cu ft
Dimensions	
Height	84"
Width	36"
Depth	24"
Exact Rough-in Width Height	35-1/2" 83-3/4"
Horsepower Refrigerator Freezer	1/5 1/8
Shipping Weight	468

*Automatic ice maker optional. Specify.

"Executive" Refrigerator-Freezer
Huge refrigerator-freezer combination with separate freezer compartment for large families. A full 19 cu ft of storage in just 36" of built-in wall space. Available in Chambers Antique Copperlux, Stainless Steel, or decorator colors.

Chambers
DIVISION OF CHAMBERS CORP.

BUILT-INS CO., P. O. Box 218, Arlington Heights, Illinois

Chambers®
BUILT-INS

custom-matched, built-in loveliness, in breathtaking finishes


SPACE-SAVER REFRIGERATOR FREEZER

16½ CUBIC FEET CAPACITY

Model No. RF1-170

This brand new Chambers refrigerator-freezer was designed to provide you with the *ultimate* in food storage capacity at a minimum of cost, without sacrifice of quality and design features!


Since 1910 Chambers has pioneered many outstanding developments for the modern kitchen—including the *one* complete line of refrigerator-freezers with luxurious finishes and custom-matched colors that will enhance the beauty of any home—and, within budget limitations.



Chambers
SINCE 1910 ... the
most honored name in
America's finest kitchens

turn this page for details ►

A.I.A. File No. 30-F-6



DECORATOR DOOR

All door panels of Chambers refrigerator-freezers are removable to permit installation of panels in any finish desired: wood, plastic, or colors. Finishes: Prime Coat (for painting any color or inserting decorator panels 1/8" or less thick), Decorator White, Pink, Yellow, Turquoise, Antique Copperlux, or Stainless Steel.

Model	Capacity	Height	Width	Depth
RF1-170 Refrigerator and Freezer	11.7 cu ft Refrigerator 4.5 cu ft Freezer	73"	36"	24"
*Roughing in Dimensions	Condensing Unit 1/4 hp	Shelf Area 11.4 sq ft (refrigerator) 9.4 sq ft (freezer)	Shipping Weight 435 lb	
35 1/2" wide 72 3/4" high				

*All roughing-in dimensions minus .000 and plus 1/4"

SPECIFICATIONS MODEL RF1-170

Chambers
BUILT-INS

FEATURES

CUSTOM-MATCHED FINISHES: Standard colors at no extra cost: Decorator white, pink, yellow, or turquoise deluxe baked-on enamel . . . or deluxe finishes at slight additional cost: Antique Copperlux and Stainless Steel!

NO EXTRA "BUILT-IN" INSTALLATION COSTS: All Chambers built-in refrigerator-freezers require no expensive framing or cabinet installation. *Each unit is self-framing and self-supporting.* Only 24" deep, the refrigerator door does not protrude beyond the cabinet line. Easy to clean inside and out—catches no dust because it's *built in!* Easy to service, too: The long-life, hermetically-sealed compressor is located behind the lift-off front grill; you'll never have to pull the unit out into the kitchen to service!

IDEAL BUILT-IN DIMENSIONS: 36" wide, including outer frame, yet its 73" height is perfect for problem installations. Fits easily under low ceilings, soffits, and stairways.

OPTIMUM STORAGE ARRANGEMENT: Two deluxe pull-out crispers, with large egg basket between. Adjustable pull-out shelves may be quickly rearranged to your convenience.

CUSTOM-MATCHED INTERIORS: Smart arrangement of classic white, decorator gray, and gold trim—all on heavy rust-free aluminum—easy to clean and keep clean!

SEPARATE CONTROLS FOR REFRIGERATOR AND FREEZER: Choose your own temperature for each compartment. Heavy-duty 1/4 hp hermetically-sealed compressor for long-life operation. Air condenser dispels any warm air for highest efficiency.


AUTOMATIC REFRIGERATOR DEFROST: All Chambers refrigerators defrost automatically!

QUICK-FREEZE FREEZER: Big-capacity door storage. Four deluxe ice cube trays furnished. Stores all packages at zero or lower temperatures. A freezer-plate beneath each shelf, yet packages never touch coils—protects against "freezer burn."

REMOVABLE DECORATOR DOOR PANELS Insert your own decorative door panels of wood, cloth, plastic (1/8" or less thick) to suit your own kitchen decor! Side panels in full and half lengths available when needed, at slight additional cost.

INSTALLATION DETAILS: Simply place in roughed-in opening and plug into 115-volt, 60-cycle a-c electrical outlet. Entire unit can be leveled and squared from front. Remote installation, when required, may be made easily by qualified refrigeration serviceman at user's expense. (Available with right- or left-hinge doors as you face unit. Specify.)


CHAMBERS UNIQUE "UNI-TEMP" SYSTEM: New achievement in finer refrigeration! With Chambers "Uni-Temp," refrigerated "Moist-Cold" air gently circulates up, out, and down to every corner of the refrigerator. It is then drawn up behind the refrigeration plate, across all cooling coils, and then recirculated.



Result—your Chambers refrigerator maintains uniform temperature at all times . . . from top to bottom!

In keeping with Chambers program of continuous improvement, models and specifications are subject to change without notice.

Chambers BUILT-INS CO. • 2012 North Harlem Ave., Chicago 35, Illinois Division of Chambers Corp.



SUGGESTED LIST PRICES

EFFECTIVE MARCH 1, 1961

Prices on this list supercede all previous prices and price lists. All prices and specifications are subject to change without notice. All orders accepted subject to prices in effect at date of shipment.

Prices shown in this price list include Federal Excise Taxes, but no local or state taxes.

We reserve the right to alter design, specifications or materials without incurring any obligation.

The suggested list prices are not applicable in the states of Texas, Vermont or Missouri or any other state which forbids the listing of suggested list prices.

Chambers BUILT-INS co.

A DIVISION OF CHAMBERS CORPORATION.

P.O. BOX 218

ARLINGTON HEIGHTS, ILLINOIS

GAS OVENS

			Suggested List Price
Model	Finish	Custom Ovens	
OGB-4	Satin Chrome	Builder Model "Custom" Oven, solid door, porcelain control panel, thermostat only, standard door handle.	\$211.95
OGB-5	Copperlux		
OGB-8	Color		
Additional Features Available:			
(T)	Manual "Minute Minder" Timer		7.10
(CT)	Electric Clock with "Minute Minder"		29.45
(W)	Window and Oven Light		13.95

DELUXE OVENS

OGV1-41	Satin Chrome	Standard Bi-Level Oven. (Rotisserie Optional)	307.75
OGV1-51	Copperlux		
OGV1-81	Color		
OGV1-4AIR	Satin Chrome	Deluxe Bi-Level Oven, automatic clock controlled oven complete with 60 minute timer and automatic Roastguide, window and light.	366.65
OGV1-5AIR	Copperlux		
OGV1-8AIR	Color		
ROT-41	Satin Chrome	Rotisserie - Optional.	29.35

IMPERIAL "RETAINED HEAT" OVENS

(Stack-on Models)			
OGA-4	Satin Chrome	"Retained Heat" stack-on ovens.	399.95
OGA-5	Copperlux		
(Built-In Models)			
OGAO-4	Satin Chrome	"Imperial" built-in "Retained Heat" ovens.	399.95
OGAO-5	Copperlux		
OGAO-8	Color	"Imperial Twins" double oven built-in "Retained Heat".	799.95
OGAO-42	Satin Chrome		
OGAO-52	Copperlux		
OGAO-82	Color		

GAS SURFACE UNITS

CUSTOM SURFACE UNITS - GAS

T1-21G	Satin Chrome or Color	"Space Saver" Drop-in with four hi-speed burners.	93.30
T1-21GH	Satin Chrome or Color		
T1-33G	Satin Chrome or Color	33" Drop-in, 3" deep with four hi-speed burners.	108.90
T1-33GH	Satin Chrome or Color		
		33" Drop-in, as above, with three hi-speed burners and one thermostat "Heat Miser"	136.65

DELUXE SURFACE UNITS

T1-33GS	Satin Chrome or Color	Deluxe 33" Drop-in, four Super Daisy simmer action burners.	144.45
T1-33GSH	Satin Chrome or Color	As above, with one thermostat "Heat Miser".	172.20

IMPERIAL SURFACE UNITS

*TO-42-G		42" All Gas top with In-a-Top live-flame broiler with sizzling platter, griddle on top. Four "Super Daisy" burners, thermostat "Heat Miser".	366.65
----------	--	--	--------

ELECTRIC OVENS

"Imperial" "Retained Heat" Ovens - Electric			Suggested List Price
Model	Finish		
<u>CUSTOM SINGLE OVENS</u>			
OEB-4	Satin Chrome	Custom Model, Single Oven, solid door.	\$172.85
OEB-5	Copperlux		
OEB-8	Color		
<u>CUSTOM DOUBLE OVENS</u>			
OEB2-4	Satin Chrome	Custom Model, <u>Double</u> Oven, two solid doors.	248.85
OEB2-5	Copperlux		
OEB2-8	Color		

DELUXE SINGLE OVENS

OEC1-4A1	Satin Chrome	Deluxe Model, window and light, automatic clock control. (Rotisserie Optional)	231.00
OEC1-5A1	Copperlux		
OEC1-8A1	Color		

DELUXE DOUBLE OVENS

OEV1-4A1	Satin Chrome	Deluxe Bi-Level Oven, with separate thermostats.	316.65
OEV1-5A1	Copperlux		
OEV1-8A1	Color		
OEV1-4AIR	Satin Chrome	Deluxe Bi-Level Oven, automatic clock controlled oven and automatic Roastguide, window and light. Rotisserie standard.	366.65
OEV1-5AIR	Copperlux		
OEV1-8AIR	Color		

"IMPERIAL" "RETAINED HEAT" OVENS

(Stack-on Models)			
OE-4	Satin Chrome	"Retained Heat" stack-on ovens, automatic electric clock control.	399.95
OE-5	Copperlux		
(Built-in Models)			
OEO-4	Satin Chrome	"Imperial" built-in "Retained Heat" ovens, automatically clock controlled with minute minder, oven light. "Keep Warm" control and Rotisserie.	399.95
OEO-5	Copperlux		
OEO-8	Color		
(Built-In Models)			
OEO-42	Satin Chrome	"Imperial Twins" double oven built-in "Retained Heat", rotisserie.	799.95
OEO-52	Copperlux		
OEO-82	Color		

ELECTRIC SURFACE UNITS

CUSTOM SURFACE UNITS

T1-21E	Satin Chrome or Color	"Space Saver" Drop-in with three 6-inch and one 8-inch speed elements.	132.20
TC-33E	Satin Chrome or Color		
		33" Drop-in, 3" deep, with two 6-inch and two 8-inch speed elements.	127.75

DELUXE SURFACE UNITS

T1-33E	Satin Chrome or Color	As above with Infinite Control elements, new matching control knobs.	144.45
T1-33EH	Satin Chrome or Color	As above with "Heat Miser".	172.20
TOR-33E	Satin Chrome or Color	33" Deluxe Thinline with waterseal rim all around. Surface is flush with counter-top.	147.75
TOR-33EH	Satin Chrome or Color	Same as TOR-33E with one "Heat Miser".	175.55

IMPERIAL SURFACE UNITS

*TO-42-E		42" All Electric top with In-a-Top electric broiler with sizzling platter, thermostat controlled griddle. Thermostat controlled "Heat Miser".	366.65
*TO-42-C		42" Contempra - "Dual Fuel" - with patented In-a-Top live-flame broiler. Two 6-inch, one 8-inch Infinite Control elements, one thermostat controlled automatic "Heat Miser".	366.65

* Copperlux Front Panel End, and Back Panels Optional.

CHAMBERS BUILT-IN REFRIGERATOR-FREEZERS

Model	Finish	Custom Refrigerator-Freezers	Suggested List Price
RF1-170	Prime	12.0 cu. ft. refrigerator, 4.5	\$866.15
RF1-174	Stainless	cu. ft. freezer.	935.90
RF1-175	Copperlux		935.90
RF1-178	Color		875.25

DELUXE REFRIGERATOR-FREEZERS

R1-120	Prime	12 cu. ft. refrigerator, In-	630.60
R1-124	Stainless	a-Wall, waist-high, condensor	684.35
R1-125	Copperlux	may be installed remote.	684.35
R1-128	Color	Hinge (R or L)	641.70
F1-120	Prime	Freezer, In-a-Wall, with	608.15
F1-124	Stainless	ice cube ejector trays. Grill	664.35
F1-125	Copperlux	extra. Hinges (R or L)	664.35
F1-128	Color		619.50
R1-180	Prime	17.8 cu. ft. refrigerator,	837.00
R1-184	Stainless	largest domestic size super	899.90
R1-185	Copperlux	capacity - not equipped to	899.90
R1-188	Color	make ice. Specify Hinge	855.00
		(R or L)	
F1-180	Prime	14 cu. ft. freezer, with ice	765.25
F1-184	Stainless	cube ejector trays. Companion	841.70
F1-185	Copperlux	unit to R1-180. Specify Hinge.	841.70
F1-188	Color	(R or L)	783.25
R1-200	Prime	19 cu. ft. giant refrigerator,	1021.00
R1-204	Stainless	including freezer with 25 lbs.	1101.90
R1-205	Copperlux	of ice capacity or 125 lbs. of	1101.90
R1-208	Color	frozen foods. Separate con-	1039.00
		densers. Specify Hinge.	
		(R or L)	

RF1-190	Prime	Refrigerator-Freezer Combo,	998.80
RF1-194	Stainless	ideal family size. Separate	1079.45
RF1-195	Copperlux	condensers. Specify Hinge.	1079.45
RF1-198	Color	(R or L)	1016.55

(IM)	Automatic Ice Maker - Available on Models		
	F1-120, F1-180, RF1-190, R1-200		88.90
	and RF1-170.		

IMPERIAL REFRIGERATOR-FREEZERS

F1D-180	Prime	Same as Model F1-180 with	1012.15
F1D-184	Stainless	automatic ice maker, auto-	1088.35
F1D-185	Copperlux	matic defrost, deluxe swing-	1088.35
F1D-188	Color	out shelf.	1030.10

RF1D-190	Prime	Same as Model RF1-190 with	1245.45
RF1D-194	Stainless	automatic ice maker, auto-	1326.30
RF1D-195	Copperlux	matic freezer defrost deluxe	1326.30
RF1D-198	Color	swing-out shelf	1263.45

ICE MAKER FREEZER

UC1-300	Prime	Undercounter, 18" width,	428.65
UC1-304	Stainless	freezer with automatic ice	446.65
UC1-305	Copperlux	maker. Self-contained	446.65
UC1-308	Color	23" deep - 34-1/2" high.	435.25

SPECIAL FEATURES . . . OPTIONAL AND EXTRA:

Grills for R1-120 and F1-120, Stainless Steel	34.00
Side Panel, Full Length - Prime	45.00
Side Panel, Full Length - Stainless Steel or Antique Copperlux	90.00
Side Panel, Half Length - Prime (specify length)	32.00
Side Panel, Half Length - Stainless Steel or Antique Copperlux (specify length)	64.00
Factory crating of panels (extra) - no charge if panels installed at factory.	

Specify either right or left swing door, as you face unit.

CHAMBERS AUTOMATIC DISHWASHER-DRYER

Model	Finish	Drain	Custom Deluxe Gravity Dishwashers	Suggested List Price
DGS-304	Satin Chrome	Gravity	Custom Deluxe 24"	\$299.95
DGS-305	Copperlux	Gravity	wide, undercounter	299.95
DGS-308	Color*	Gravity	with Swirl-a-Tray upper rack, service for 12, with selection of six distinct cycles.	299.95

CUSTOM DELUXE PUMP DISHWASHERS

DPS-314	Satin Chrome	Pump	Custom Deluxe, same	304.40
DPS-315	Copperlux	Pump	as above, with pump	304.40
DPS-318	Color*	Pump	drain.	304.40

IMPERIAL PUMP DISHWASHERS

DPD-324	Satin Chrome	Pump	Super Deluxe, with two	326.65
DPD-325	Copperlux	Pump	push button controlled	326.65
DPS-328	Color*	Pump	Pot and Pan Pre-Wash and Breakfast Dish Pre-Rinse.	326.65

VENTILATING HOODS

TO BE USED WITH BLOWERS

Model	Size	Finish	Hood Style	Suggested List Price
HC-30-5	30"	Copperlux	Contemporary-Straight Edge	\$ 52.35
HC-36-5	36"	Copperlux	Contemporary-Straight Edge	54.65
HC-42-5	42"	Copperlux	Contemporary-Straight Edge	56.10
		*Color		
HP-30-5	30"	Copperlux	Provincial - Scallop Edge	53.45
HP-36-5	36"	Copperlux	Provincial - Scallop Edge	55.45
HP-42-5	42"	Copperlux	Provincial - Scallop Edge	56.85
HC-30-4	30"	Stainless	Contemporary-Straight Edge	82.75
HC-36-4	36"	Stainless	Contemporary-Straight Edge	87.65
HC-42-4	42"	Stainless	Contemporary-Straight Edge	94.85
		*Color		

Blowers for Ventilating Hoods
Packed Separately. Interchangeable in
all HP and HC Chambers Hood Models.

Blower Model				
B-91	One Blower - One Speed			32.45
B-92	Twin Blower - Two Speed with Twin Light Receptacles.			44.20

FAN TYPE VENTILATING HOODS

Colored Hoods are available in straight edge style only. Orders for scalloped colored hoods will not be honored.

All straight edge hoods available in Pink, Turquoise, Yellow and White at same price as Copperlux hoods.

Model	Size	Style	Finish	Suggested List Price
HF-30-5	30"	Straight Edge	Copperlux	\$ 29.35
HF-36-5	36"	Straight Edge	Copperlux	30.95
HF-42-5	42"	Straight Edge	Copperlux	32.65

FAN TYPE VENTILATING HOODS (Continued)

Model	Size	Style	Finish	Suggested List Price
HF-30-4	30"	Straight Edge	Stainless Steel	\$ 48.30
HF-36-4	36"	Straight Edge	Stainless Steel	53.20
HF-42-4	42"	Straight Edge	Stainless Steel	58.70
FRS-103	Accessory (2 light receptacles and 2 switches)			5.55

Fan Assemblies - (Packed in Separate Cartons)

F-100 Kit	Fan and Grill Only	22.20
F-101 Kit	Fan, Grill and Filter	24.45
F-102 Kit	Fan, Grill, Filter, Reducer and Damper	28.35

MITERED FAN-TYPE HOODS - (shipped completely assembled)

HFM-30-5	30"	Straight Edge	Copperlux	47.75
HFM-36-5	36"	Straight Edge	Copperlux	48.90
HFM-42-5	42"	Straight Edge	Copperlux	50.00
HFM-30-4	30"	Straight Edge	Silvertone	47.75
HFM-36-4	36"	Straight Edge	Silvertone	48.90
HFM-42-4	42"	Straight Edge	Silvertone	50.00

SPLASH PLATES
(For Both Blower and Fan-Type Hoods)

SP-30-5	30" w x 24" high	Copperlux	\$ 15.20
SP-36-5	36" w x 24" high	Copperlux	15.20
SP-42-5	42" w x 24" high	Copperlux	15.20
SP-30-4	30" w x 24" high	Stainless Steel	21.90
SP-36-4	36" w x 24" high	Stainless Steel	24.65
SP-42-4	42" w x 24" high	Stainless Steel	28.20

DELUXE DISPOSERS
TROUBLE FREE

Model	Description	Suggested List Price
CH-8000	"Hushaway", 1/3 H. P., continuous feed, "whisper quiet". Iron clad one year guarantee.*	\$102.25
CF-880	Standard Deluxe Model, 1/3 H. P., continuous feed, with iron clad one year guarantee.*	72.25

B355 - \$55.00 1/3 horse

D566 - \$66.00 1/2 horse

H-595 - Hushaway \$95.00 1/2 horse



